

Product datasheet for TA507380BM

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

GADD45A Mouse Monoclonal Antibody (HRP conjugated) [Clone ID: OTI2B7]

Product data:

Product Type: Primary Antibodies

Clone Name: OTI2B7
Applications: WB

The section of the se

Recommended Dilution: WB 1:4000

Reactivity: Human, Mouse, Rat

Host: Mouse Isotype: IgG1

Clonality: Monoclonal

Immunogen: Full length human recombinant protein of human GADD45A(NP_001915) produced in

HEK293T cell.

Formulation: PBS (pH 7.3) containing 1% BSA, 50% glycerol.

Concentration: 0.5 mg/ml

Purification: Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography

(protein A/G)

Conjugation: HRP

Storage: Store at -20°C as received.

Stability: Stable for 12 months from date of receipt.

Predicted Protein Size: 18.2 kDa

Gene Name: growth arrest and DNA damage inducible alpha

Database Link: NP 001915

Entrez Gene 13197 MouseEntrez Gene 25112 RatEntrez Gene 1647 Human

P24522





Background: This gene is a member of a group of genes whose transcript levels are increased following

stressful growth arrest conditions and treatment with DNA-damaging agents. The protein encoded by this gene responds to environmental stresses by mediating activation of the p38/JNK pathway via MTK1/MEKK4 kinase. The DNA damage-induced transcription of this gene is mediated by both p53-dependent and -independent mechanisms. Alternatively spliced transcript variants encoding distinct isoforms have been found for this gene.


[provided by RefSeq, Dec 2010]

Synonyms: DDIT1; GADD45

Protein Families: Druggable Genome, Stem cell - Pluripotency

Protein Pathways: Cell cycle, MAPK signaling pathway, p53 signaling pathway

Product images:



HEK293T cells were transfected with the pCMV6-ENTRY control (Left lane) or pCMV6-ENTRY GADD45A ([RC204005], Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-GADD45A. Positive lysates [LY419659] (100ug) and [LC419659] (20ug) can be purchased separately from OriGene.