

## Product datasheet for **TA592012M**


### **P16(CDKN2A) Rabbit Monoclonal Antibody [Clone ID: OTIR5G10]**

#### **Product data:**


|                       |  |
|-----------------------|--|
| Product Type:         | Primary Antibodies   |
| Clone Name:           | OTIR5G10   |
| Applications:         | IHC  |
| Recommended Dilution: | IHC 1:9000   |
| Host:                 | Rabbit   |
| Isotype:              | IgG  |
| Clonality:            | Monoclonal   |
| Immunogen:            | Synthetic peptide corresponding to the C-terminus of Human P16(CDKN2A) (NP_000068) conjugated to KLH. The exact sequence is proprietary.                                     |
| Formulation:          | PBS (pH 7.3) containing 1% BSA, 50% glycerol and 0.02% sodium azide.   |
| Concentration:        | 1 mg/ml  |
| Purification:         | Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography (protein A/G)  |
| Conjugation:          | Unconjugated   |
| Storage:              | Shipped at -20°C or with ice packs, Upon delivery store at -20°C. Dilute in PBS(pH7.3) if necessary. Stable for 12 months from date of receipt. Avoid repeated freeze-thaws. |



[View online »](#)

**Product images:**

Immunohistochemical staining of paraffin-embedded Human tonsil within the normal limits using anti-P16 (CDKN2A) rabbit monoclonal antibody. Heat-induced epitope retrieval by EDTA solution buffer pH 8.0 at 120°C for 3 min.



Immunohistochemical staining of paraffin-embedded Human cervical cancer tissue using anti-P16 (CDKN2A) rabbit monoclonal antibody. Heat-induced epitope retrieval by EDTA solution buffer pH 8.0 at 120°C for 3 min.