

Product datasheet for TA592070

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com

OriGene Technologies, Inc.

EU: info-de@origene.com CN: techsupport@origene.cn

AMH Rabbit Monoclonal Antibody [Clone ID: OTIR2G3B5]

Product data:

Product Type: Primary Antibodies

Clone Name: OTIR2G3B5

Applications: ELISA

Recommended Dilution: ELISA 1:5000-10000

Reactivity: Human
Host: Rabbit
Isotype: IgG

Clonality: Monoclonal

Formulation: Recombinant protein (26-560aa) of human AMH produced in HEK302

PBS (pH 7.3) containing 1% BSA, 50% glycerol and 0.02% sodium azide.

Concentration: 1 mg/ml

Purification: Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography

(protein A/G)

Conjugation: Unconjugated

Predicted Protein Size: 59.17 kDa

Gene Name: anti-Mullerian hormone

Database Link: NP 000470

Entrez Gene 268 Human

P03971



AMH Rabbit Monoclonal Antibody [Clone ID: OTIR2G3B5] - TA592070

Background: This gene encodes a secreted ligand of the TGF-beta (transforming growth factor-beta)

superfamily of proteins. Ligands of this family bind various TGF-beta receptors leading to recruitment and activation of SMAD family transcription factors that regulate gene

expression. The encoded preproprotein is proteolytically processed to generate N- and C-terminal cleavage products that homodimerize and associate to form a biologically active noncovalent complex. This complex binds to the anti-Mullerian hormone receptor type 2 and

causes the regression of Mullerian ducts in the male embryo that would otherwise

differentiate into the uterus and fallopian tubes. This protein also plays a role in Leydig cell differentiation and function and follicular development in adult females. Mutations in this

gene result in persistent Mullerian duct syndrome. [provided by RefSeq, Jul 2016]

Synonyms: MIF; MIS

Protein Families: Druggable Genome, Secreted Protein

Protein Pathways: Cytokine-cytokine receptor interaction, TGF-beta signaling pathway