

## **Product datasheet for TA592172**

# OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200 Rockville, MD 20850 LIS

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

#### **BCL2 Rabbit Monoclonal Antibody [Clone ID: OTIR9G7]**

#### **Product data:**

**Product Type:** Primary Antibodies

Clone Name: OTIR9G7

Applications: IHC

**Reactivity:** IHC 1:1200 Mouse, Rat

Host: Rabbit Isotype: IgG

Clonality: Monoclonal

Immunogen: Synthetic peptide corresponding to the N-terminus of Human BCL2 (NP\_000624) conjugated

to KLH. The exact sequence is proprietary.

**Formulation:** PBS (pH 7.3) containing 1% BSA, 50% glycerol and 0.02% sodium azide.

Concentration: 1 mg/ml

**Purification:** Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography

(protein A/G)


Conjugation: Unconjugated

Storage: Shipped at -20°C or with ice packs, Upon delivery store at -20°C. Dilute in PBS(pH7.3) if


necessary. Stable for 12 months from date of receipt. Avoid repeated freeze-thaws.



### **Product images:**




Immunohistochemical staining of paraffinembedded Human lymphoma tissue using anti-BCL2 rabbit monoclonal antibody. (Heat-induced epitope retrieval by 1mM EDTA in 10mM Tris buffer (pH8.0) at 120°C for 3 min, TA592172) (1:1200)



Immunohistochemical staining of paraffinembedded Human tonsil within the normal limits using anti-BCL2 rabbit monoclonal antibody. (Heat-induced epitope retrieval by 1mM EDTA in 10mM Tris buffer (pH8.0) at 120°C for 3 min, TA592172) (1:1200)





Immunohistochemical staining of paraffinembedded Human appendix tissue within the normal limits using anti-BCL2 rabbit monoclonal antibody. (Heat-induced epitope retrieval by 1mM EDTA in 10mM Tris buffer (pH8.0) at 120°C for 3 min, TA592172) (1:1200)