

## **Product datasheet for TA592754S**

## https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436

**OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200

## PSCA Rabbit Monoclonal Antibody [Clone ID: OTIR2A2]

**Product data:** 

**Product Type:** Primary Antibodies

Clone Name: OTIR2A2

Applications: WB

Recommended Dilution: WB 1:3000

Reactivity: Human

**Host:** Rabbit

**Isotype:** IgG

Clonality: Monoclonal

**Immunogen:** Synthetic peptide (the amino acid sequence is considered to be commercially sensitive)

within Human PSCA (NP\_005663). The exact sequence is proprietary.

**Formulation:** PBS (pH 7.3) containing 1% BSA, 50% glycerol and 0.02% sodium azide.

Concentration: 1 mg/ml

**Purification:** Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography

(protein A/G)

**Conjugation:** Unconjugated

Storage: Shipped at -20°C or with ice packs, Upon delivery store at -20°C. Dilute in PBS(pH7.3) if

necessary. Stable for 12 months from date of receipt. Avoid repeated freeze-thaws.

Predicted Protein Size: 12.9 kDa

**Gene Name:** prostate stem cell antigen

Database Link: NP 005663

Entrez Gene 8000 Human

<u>043653</u>






Background:

This gene encodes a glycosylphosphatidylinositol-anchored cell membrane glycoprotein. In addition to being highly expressed in the prostate it is also expressed in the bladder, placenta, colon, kidney, and stomach. This gene is up-regulated in a large proportion of prostate cancers and is also detected in cancers of the bladder and pancreas. This gene includes a polymorphism that results in an upstream start codon in some individuals; this polymorphism is thought to be associated with a risk for certain gastric and bladder cancers. Alternative splicing results in multiple transcript variants. [provided by RefSeq, Feb 2010]

Synonyms: PRO232

## **Product images:**



Western blot analysis of overexpressed lysates(15ug per lane) from HEK293T cells transfected with empty plasmid ([PS100001], lane 1), human PSCA plasmid ([RC209136], lane 2) using anti-PSCA antibody [TA592754](1:3000).