

Product datasheet for TA592961

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

PNPLA3 Rabbit Monoclonal Antibody [Clone ID: OTIR1D10]

Product data:

Product Type: Primary Antibodies

Clone Name: OTIR1D10

Applications: WB

Recommended Dilution: WB 1:1000-1:5000

Reactivity: Human

Host: Rabbit

Isotype: IgG

Clonality: Monoclonal

Immunogen: Full length human recombinant protein of human PNPLA3(NP_079501) produced in E.coli.

Formulation: PBS (pH 7.3) containing 1% BSA, 50% glycerol and 0.02% sodium azide.

Concentration: 1 mg/ml

Purification: Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography

(protein A/G)

Conjugation: Unconjugated

Storage: Shipped at -20°C or with ice packs, Upon delivery store at -20°C. Dilute in PBS(pH7.3) if

necessary. Stable for 12 months from date of receipt. Avoid repeated freeze-thaws.

Predicted Protein Size: 52.8 kDa

Gene Name: patatin like phospholipase domain containing 3

Database Link: NP 079501

Entrez Gene 80339 Human

Q9NST1

Background: The protein encoded by this gene is a triacylglycerol lipase that mediates triacylglycerol

hydrolysis in adipocytes. The encoded protein, which appears to be membrane bound, may be involved in the balance of energy usage/storage in adipocytes. [provided by RefSeq, Jul

2008]

Synonyms: ADPN; C22orf20; iPLA(2)epsilon





Protein Pathways:

Glycerolipid metabolism, Glycerophospholipid metabolism, Limonene and pinene degradation, Metabolic pathways, Phenylalanine metabolism, Tyrosine metabolism

Product images:





Figure A, Western blot analysis of overexpressed lysates(15ug per lane) from HEK293T cells transfected with empty plasmid ([PS100001], lane 1), human PNPLA3 plasmid ([RC209577], lane 2), mouse PNPLA3 plasmid ([MR206522], lane 3) using anti-PNPLA3 antibody TA592961 (1:5000). Figure B, Western blot analysis of the same samples as figure A with anti-DDK antibody ([TA180144], 1:1000)



Western blot analysis of overexpressed lysates(15ug per lane) from HEK293T cells transfected with human PNPLA1 plasmid ([RC227055], hPNPLA1), human PNPLA2 plasmid ([RG205708], hPNPLA2), human PNPLA3 plasmid ([RC209577], hPNPLA3), human PNPLA4 plasmid ([RG226698], hPNPLA4), human PNPLA5 plasmid ([RC218118], hPNPLA5), human PNPLA6 plasmid ([RC228678], hPNPLA6), human PNPLA7 plasmid ([RC223108], hPNPLA7), human PNPLA8 plasmid ([RG205193], hPNPLA8) using anti-PNPLA3 antibody (TA592961, 1:500)