

#### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

# Product datasheet for TA594438

# AAV2(Rep78, 68, 52, 40) Rabbit Monoclonal Antibody [Clone ID: OTIR2H3]

## **Product data:**

| Product Type:           | Primary Antibodies  |
|-------------------------|---|
| Clone Name:             | OTIR2H3   |
| Applications:           | WB  |
| Recommended Dilution:   | WB1:2000  |
| Reactivity:             | Adeno-Associated Virus 2  |
| Host:                   | Rabbit  |
| lsotype:                | lgG   |
| Clonality:              | Monoclonal  |
| Immunogen:              | AAV2 Rep40  |
| Formulation:            | PBS (PH 7.3) containing 1% BSA, 50% glycerol and 0.02% sodium azide.  |
| Concentration:          | 1 mg/ml   |
| Purification:           | Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography<br>(protein A/G)  |
| Conjugation:            | Unconjugated  |
| Storage:                | Shipped at -20°C or with ice packs, Upon delivery store at -20°C. Dilute in PBS(pH7.3) if necessary. Stable for 12 months from date of receipt. Avoid repeated freeze-thaws.  |
| Predicted Protein Size: | 70KD  |
| Background:             | AAV vectors are promising delivery tools for human gene therapy. AAV is a single-stranded<br>DNA parvovirus with a 4.7 kb genome composed of the rep and cap genes flanked by<br>inverted terminal repeats (ITRs). The rep gene encodes non-structural proteins involved in<br>viral replication, packaging, and genomic integration, whereas the cap gene codes for<br>structural proteins (VP1, VP2, VP3) that assemble to form the viral capsid, which serves as the<br>viral gene delivery vehicle. |



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US



## **Product images:**




Figure A, Western blot analysis of overexpressed lysates(15ug per lane) from HEK293T cells transfected with empty plasmid ([P5100001], NC) , AAV2-Rep78 overexpressed plasmid and AAV2-Rep40 protein (0.1ug) using anti-AAV2(Rep78, 68, 52, 40) antibody TA594438 (1:2000). Figure B, Western blot analysis of the same samples as figure A with anti-DDK antibody ([TA180144], 1:1000). Figure C, Western blot analysis of the same samples as figure A with anti-His antibody ([TA150088], 1:500).

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US