

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Product datasheet for TA800166BM

TPRKB Mouse Monoclonal Antibody (HRP conjugated) [Clone ID: OTI3H3]


Product data:

| Product Type: | Primary Antibodies |
|-------------------------|---|
| Clone Name: | OTI3H3 |
| Applications: | FC, IF, IHC, WB |
| Recommended Dilution: | WB 1:500~1000, IHC 1:150, IF 1:100, FLOW 1:100 |
| Reactivity: | Human, Monkey, Mouse |
| Host: | Mouse |
| lsotype: | lgG1 |
| Clonality: | Monoclonal |
| Immunogen: | Full length human recombinant protein of human TPRKB (NP_057142) produced in E.coli. |
| Formulation: | PBS (pH 7.3) containing 1% BSA, 50% glycerol. |
| Concentration: | 0.5 mg/ml |
| Purification: | Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography (protein A/G) |
| Conjugation: | HRP |
| Storage: | Store at -20°C as received. |
| Stability: | Stable for 12 months from date of receipt. |
| Predicted Protein Size: | 19.5 kDa |
| Gene Name: | TP53RK binding protein |
| Database Link: | <u>NP_057142</u> <u>Entrez Gene 69786 MouseEntrez Gene 707023 MonkeyEntrez Gene 51002 Human</u> <u>Q9Y3C4</u> |
| Synonyms: | CGI-121; CGI121 |






Product images:




Western blot analysis of extracts (35ug) from 9 different cell lines by usin g anti-TPRKB monoclonal antibody (HepG2: human; HeLa: human; SVT2: mouse; A549: human; COS7: monkey; Jurkat: human; MDCK: canine; PC12: rat; MCF7: human).



Immunohistochemical staining of paraffinembedded Human colon tissue within the normal limits using anti-TPRKB mouse monoclonal antibody. (Heat-induced epitope retrieval by 10mM citric buffer, pH6.0, 100°C for 10min, [TA800166])


Immunohistochemical staining of paraffinembedded Human Kidney tissue within the normal limits using anti-TPRKB mouse monoclonal antibody. (Heat-induced epitope retrieval by 10mM citric buffer, pH6.0, 100°C for 10min, [TA800166])



Immunohistochemical staining of paraffinembedded Human liver tissue within the normal limits using anti-TPRKB mouse monoclonal antibody. (Heat-induced epitope retrieval by 10mM citric buffer, pH6.0, 100°C for 10min, [TA800166])

Immunohistochemical staining of paraffinembedded Carcinoma of Human lung tissue using anti-TPRKB mouse monoclonal antibody. (Heat-induced epitope retrieval by 10mM citric buffer, pH6.0, 100°C for 10min, [TA800166])


Immunohistochemical staining of paraffinembedded Adenocarcinoma of Human ovary tissue using anti-TPRKB mouse monoclonal antibody. (Heat-induced epitope retrieval by 10mM citric buffer, pH6.0, 100°C for 10min, [TA800166])



Immunohistochemical staining of paraffinembedded Human pancreas tissue within the normal limits using anti-TPRKB mouse monoclonal antibody. (Heat-induced epitope retrieval by 10mM citric buffer, pH6.0, 100°C for 10min, [TA800166])

Immunohistochemical staining of paraffinembedded Carcinoma of Human pancreas tissue using anti-TPRKB mouse monoclonal antibody. (Heat-induced epitope retrieval by 10mM citric buffer, pH6.0, 100°C for 10min, [TA800166])


Immunohistochemical staining of paraffinembedded Carcinoma of Human thyroid tissue using anti-TPRKB mouse monoclonal antibody. (Heat-induced epitope retrieval by 10mM citric buffer, pH6.0, 100°C for 10min, [TA800166])



Immunohistochemical staining of paraffinembedded Human endometrium tissue within the normal limits using anti-TPRKB mouse monoclonal antibody. (Heat-induced epitope retrieval by 10mM citric buffer, pH6.0, 100°C for 10min, [TA800166])

Immunohistochemical staining of paraffinembedded Adenocarcinoma of Human endometrium tissue using anti-TPRKB mouse monoclonal antibody. (Heat-induced epitope retrieval by 10mM citric buffer, pH6.0, 100°C for 10min, [TA800166])


Immunohistochemical staining of paraffinembedded Carcinoma of Human bladder tissue using anti-TPRKB mouse monoclonal antibody. (Heat-induced epitope retrieval by 10mM citric buffer, pH6.0, 100°C for 10min, [TA800166])



Immunohistochemical staining of paraffinembedded Human lymphoma tissue using anti-TPRKB mouse monoclonal antibody. (Heatinduced epitope retrieval by 10mM citric buffer, pH6.0, 100°C for 10min, [TA800166])

Immunohistochemical staining of paraffinembedded Human tonsil within the normal limits using anti-TPRKB mouse monoclonal antibody. (Heat-induced epitope retrieval by 10mM citric buffer, pH6.0, 100°C for 10min, [TA800166])

Anti-TPRKB mouse monoclonal antibody ([TA800166]) immunofluorescent staining of COS7 cells transiently transfected by pCMV6-ENTRY TPRKB ([RC206008]).



HEK293T cells transfected with either [RC206008] overexpress plasmid (Red) or empty vector control plasmid (Blue) were immunostained by anti-TPRKB antibody ([TA800166]), and then analyzed by flow cytometry.