

Product datasheet for TA800775S

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

SOAT 2 (SOAT2) Mouse Monoclonal Antibody [Clone ID: OTI2D3]

Product data:

Product Type: Primary Antibodies

Clone Name: OTI2D3

Applications: IHC

Recommended Dilution: IHC 1:150

Reactivity: Human Host: Mouse

Isotype: IgG1

Clonality: Monoclonal

Immunogen: Human recombinant protein fragment corresponding to amino acids 1-120 of human SOAT2

(NP 003569) produced in E.coli.

Formulation: PBS (pH 7.3) containing 1% BSA, 50% glycerol and 0.02% sodium azide.

Concentration: 1 mg/ml

Purification: Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography

(protein A/G)

Conjugation: Unconjugated

Storage: Store at -20°C as received.

Stability: Stable for 12 months from date of receipt.

Predicted Protein Size: 59.7 kDa

Gene Name: sterol O-acyltransferase 2

Database Link: NP 003569

Entrez Gene 8435 Human

<u>075908</u>


Synonyms: ACACT2; ACAT2; ARGP2

Protein Families: Transmembrane


Protein Pathways: Steroid biosynthesis




Product images:



Immunohistochemical staining of paraffinembedded Adenocarcinoma of Human colon tissue using anti-SOAT2 mouse monoclonal antibody. (Heat-induced epitope retrieval by 10mM citric buffer, pH6.0, 120°C for 3min, [TA800775])





Immunohistochemical staining of paraffinembedded Human liver tissue within the normal limits using anti-SOAT2 mouse monoclonal antibody. (Heat-induced epitope retrieval by 10mM citric buffer, pH6.0, 120°C for 3min, [TA800775])



Immunohistochemical staining of paraffinembedded Carcinoma of Human lung tissue using anti-SOAT2 mouse monoclonal antibody. (Heat-induced epitope retrieval by 10mM citric buffer, pH6.0, 120°C for 3min, [TA800775])







Immunohistochemical staining of paraffinembedded Human lymph node tissue within the normal limits using anti-SOAT2 mouse monoclonal antibody. (Heat-induced epitope retrieval by 10mM citric buffer, pH6.0, 120°C for 3min, [TA800775])

Immunohistochemical staining of paraffinembedded Human tonsil within the normal limits using anti-SOAT2 mouse monoclonal antibody. (Heat-induced epitope retrieval by 10mM citric buffer, pH6.0, 120°C for 3min, [TA800775])