

#### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

# Product datasheet for TA801362M

## Tyrosinase (TYR) Mouse Monoclonal Antibody [Clone ID: OTI1F3]

### **Product data:**

Product Type:	Primary Antibodies
Clone Name:	OTI1F3
Applications:	IHC
Recommended Dilution:	IHC 1:150
Reactivity:	Human, Mouse, Rat
Host:	Mouse
lsotype:	lgG1
Clonality:	Monoclonal
Immunogen:	Human recombinant protein fragment corresponding to amino acids 19-320 of human TYR (NP_000363) produced in E.coli.
Formulation:	PBS (pH 7.3) containing 1% BSA, 50% glycerol and 0.02% sodium azide.
Concentration:	1 mg/ml
Purification:	Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography (protein A/G)
Conjugation:	Unconjugated
Storage:	Store at -20°C as received.
Stability:	Stable for 12 months from date of receipt.
Predicted Protein Size:	58.3 kDa
Gene Name:	tyrosinase
Database Link:	<u>NP_000363</u> <u>Entrez Gene 22173 MouseEntrez Gene 308800 RatEntrez Gene 7299 Human</u> <u>P14679</u>
Background:	The enzyme encoded by this gene catalyzes the first 2 steps, and at least 1 subsequent step, in the conversion of tyrosine to melanin. The enzyme has both tyrosine hydroxylase and dopa oxidase catalytic activities, and requires copper for function. Mutations in this gene result in oculocutaneous albinism, and nonpathologic polymorphisms result in skin pigmentation variation. The human genome contains a pseudogene similar to the 3' half of this gene. [provided by RefSeq, Oct 2008]



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2025 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US


# **GRIGENE** Tyrosinase (TYR) Mouse Monoclonal Antibody [Clone ID: OTI1F3] – TA801362M

Synonyms: ATN; CMM8; OCA1; OCA1A; OCAIA; SHEP3

Protein Families: Transmembrane

Protein Pathways: Melanogenesis, Metabolic pathways, Riboflavin metabolism, Tyrosine metabolism

### **Product images:**



Immunohistochemical staining of paraffinembedded Carcinoma of Human lung tissue using anti-TYR mouse monoclonal antibody. Heat-induced epitope retrieval by EDTA solution buffer pH 8.0 at 120°C for 3 min.

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2025 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US