

## **Product datasheet for TA802077AM**

#### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

### Kallikrein 2 (KLK2) Mouse Monoclonal Antibody (Biotin conjugated) [Clone ID: OTI5D6]

#### **Product data:**

**Product Type:** Primary Antibodies

Clone Name: OTI5D6
Applications: IHC, WB

Recommended Dilution: WB 1:2000, IHC 1:150

Reactivity: Human
Host: Mouse
Isotype: IgG2b

Clonality: Monoclonal

**Immunogen:** Human recombinant protein fragment corresponding to amino acids 25-261 of human KLK2

(NP\_005542) produced in SF9 cell.

**Formulation:** PBS (pH 7.3) containing 1% BSA, 50% glycerol and 0.02% sodium azide.

**Concentration:** 0.5 mg/ml

**Purification:** Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography

(protein A/G)

Conjugation: Biotin

**Storage:** Store at -20°C as received.

**Stability:** Stable for 12 months from date of receipt.

**Predicted Protein Size:** 28.5 kDa

**Gene Name:** kallikrein related peptidase 2

Database Link: NP 005542

Entrez Gene 3817 Human

P20151



# Kallikrein 2 (KLK2) Mouse Monoclonal Antibody (Biotin conjugated) [Clone ID: OTI5D6] – TA802077AM


#### Background:


This gene encodes a member of the grandular kallikrein protein family. Kallikreins are a subgroup of serine proteases that are clustered on chromosome 19. Members of this family are involved in a diverse array of biological functions. The protein encoded by this gene is a highly active trypsin-like serine protease that selectively cleaves at arginine residues. This protein is primarily expressed in prostatic tissue and is responsible for cleaving pro-prostate-specific antigen into its enzymatically active form. This gene is highly expressed in prostate tumor cells and may be a prognostic maker for prostate cancer risk. Alternate splicing results in both coding and non-coding transcript variants. [provided by RefSeq, Jan 2012]

**Synonyms:** hGK-1; hK2; KLK2A2

**Protein Families:** Druggable Genome, Protease

## **Product images:**







KLK2 lysate: RC202667 KLK3 lysate: RC202740

HEK293T cells were transfected with the pCMV6-ENTRY control (Cat# [PS100001], Left lane) or pCMV6-ENTRY KLK2 (Cat# [RC202667], Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-KLK2(Cat# [TA802077]). Positive lysates [LY417229] (100ug) and [LC417229] (20ug) can be purchased separately from OriGene.

Western blot analyses for the cross-reactivity between KLK2 and KLK3 overexpression lysate. The results indicate that KLK3 overexpressed lysate is not getting detected by the anti-KLK2 antibody ([TA802077])







Immunohistochemical staining of paraffinembedded Human prostate tissue within the normal limits using anti-KLK2 mouse monoclonal antibody. (Heat-induced epitope retrieval by 10mM citric buffer, pH6.0, 120°C for 3min, [TA802077])