

Product datasheet for TA802669S

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com

OriGene Technologies, Inc.

https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

HMBS Mouse Monoclonal Antibody [Clone ID: OTI3F4]

Product data:

Product Type: Primary Antibodies

Clone Name: OTI3F4
Applications: IHC, WB
Recommended Dilution: WB 1:2000

Reactivity: Human, Mouse, Rat

Host: Mouse Isotype: IgG1

Clonality: Monoclonal

Immunogen: Full length human recombinant protein of human HMBS (NP_000181) produced in HEK293T

cell

Formulation: PBS (pH 7.3) containing 1% BSA, 50% glycerol and 0.02% sodium azide.

Concentration: 1 mg/ml

Purification: Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography

(protein A/G)

Conjugation: Unconjugated

Storage: Store at -20°C as received.

Stability: Stable for 12 months from date of receipt.

Predicted Protein Size: 39.1 kDa

Gene Name: hydroxymethylbilane synthase

Database Link: NP 000181

Entrez Gene 15288 MouseEntrez Gene 25709 RatEntrez Gene 3145 Human

P08397

Background: This gene encodes a member of the hydroxymethylbilane synthase superfamily. The encoded

protein is the third enzyme of the heme biosynthetic pathway and catalyzes the head to tail condensation of four porphobilinogen molecules into the linear hydroxymethylbilane. Mutations in this gene are associated with the autosomal dominant disease acute

intermittent porphyria. Alternatively spliced transcript variants encoding different isoforms

have been described. [provided by RefSeq, Jul 2008]






Synonyms: PBG-D; PBGD; PORC; UPS


Protein Families: Druggable Genome

Protein Pathways: Metabolic pathways, Porphyrin and chlorophyll metabolism


Product images:



HEK293T cells were transfected with the pCMV6-ENTRY control (Cat# [PS100001], Left lane) or pCMV6-ENTRY HMBS (Cat# [RC201362], Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-HMBS(Cat# [TA802669]). Positive lysates [LY400069] (100ug) and [LC400069] (20ug) can be purchased separately from OriGene.




Immunohistochemical staining of paraffinembedded Human Kidney tissue within the normal limits using anti-HMBS mouse monoclonal antibody. ([TA802669]) Dilution: 1:150




Immunohistochemical staining of paraffinembedded Carcinoma of Human kidney tissue using anti-HMBS mouse monoclonal antibody. ([TA802669]) Dilution: 1:150






Immunohistochemical staining of paraffinembedded Adenocarcinoma of Human ovary tissue using anti-HMBS mouse monoclonal antibody. ([TA802669]) Dilution: 1:150



Immunohistochemical staining of paraffinembedded Carcinoma of Human pancreas tissue using anti-HMBS mouse monoclonal antibody. ([TA802669]) Dilution: 1:150



Immunohistochemical staining of paraffinembedded Human lymphoma tissue using anti-HMBS mouse monoclonal antibody. ([TA802669]) Dilution: 1:150