

# **Product datasheet for TA804021S**

#### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## CD30 (TNFRSF8) Mouse Monoclonal Antibody [Clone ID: OTI2G7]

#### **Product data:**

**Product Type:** Primary Antibodies

Clone Name: OTI2G7
Applications: FC, IHC

Recommended Dilution: IHC 1:150, FLOW 1:100

Reactivity: Human
Host: Mouse
Isotype: IgG1

Clonality: Monoclonal

**Immunogen:** Human recombinant protein fragment corresponding to amino acids 19-379 of human

TNFRSF8 (NP\_001234) produced in E.coli.

**Formulation:** PBS (pH 7.3) containing 1% BSA, 50% glycerol and 0.02% sodium azide.

Concentration: 1 mg/ml

**Purification:** Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography

(protein A/G)

Conjugation: Unconjugated

**Storage:** Store at -20°C as received.

**Stability:** Stable for 12 months from date of receipt.

**Gene Name:** tumor necrosis factor receptor superfamily member 8

Database Link: NP 001234

Entrez Gene 943 Human

P28908

**Background:** The protein encoded by this gene is a member of the TNF-receptor superfamily. This receptor

is expressed by activated, but not by resting, T and B cells. TRAF2 and TRAF5 can interact with this receptor, and mediate the signal transduction that leads to the activation of NF-kappaB. This receptor is a positive regulator of apoptosis, and also has been shown to limit the proliferative potential of autoreactive CD8 effector T cells and protect the body against autoimmunity. Two alternatively spliced transcript variants of this gene encoding distinct

isoforms have been reported. [provided by RefSeq, Jul 2008]






Synonyms: CD30; D1S166E; Ki-1


**Protein Families:** Druggable Genome, ES Cell Differentiation/IPS, Stem cell - Pluripotency, Transmembrane

**Protein Pathways:** Cytokine-cytokine receptor interaction

## **Product images:**




Immunohistochemical staining of paraffinembedded Adenocarcinoma of Human colon tissue using anti-TNFRSF8 mouse monoclonal antibody. ([TA804021])





Immunohistochemical staining of paraffinembedded Human pancreas tissue using anti-TNFRSF8 mouse monoclonal antibody. ([TA804021])






Immunohistochemical staining of paraffinembedded Carcinoma of Human pancreas tissue using anti-TNFRSF8 mouse monoclonal antibody. ([TA804021])





Flow cytometric Analysis of K562 and Ramos cells, using anti-TNFRSF8 antibody ([TA804021]), (Red), compared to a nonspecific negative control antibody (TA50011), (Blue) (1:100).



Flow cytometric Analysis of k562 cells, using anti-TNFRSF8 antibody ([TA804021]), (Red), compared to a nonspecific negative control antibody (TA50011), (Blue).