

## **Product datasheet for TA804048**

### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

# TRIM27 Mouse Monoclonal Antibody [Clone ID: OTI2F9]

#### **Product data:**

**Product Type:** Primary Antibodies

Clone Name: OTI2F9
Applications: WB

Recommended Dilution: WB 1:500

Reactivity: Human, Mouse, Rat

Host: Mouse Isotype: IgG1

Clonality: Monoclonal

**Immunogen:** Full length human recombinant protein of human TRIM27 (NP\_006501) produced in E.coli.

**Formulation:** PBS (pH 7.3) containing 1% BSA, 50% glycerol and 0.02% sodium azide.

Concentration: 1 mg/ml

**Purification:** Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography

(protein A/G)

**Conjugation:** Unconjugated

**Storage:** Store at -20°C as received.

**Stability:** Stable for 12 months from date of receipt.

Predicted Protein Size: 58.3 kDa

**Gene Name:** tripartite motif containing 27

Database Link: NP 006501

Entrez Gene 19720 MouseEntrez Gene 291171 RatEntrez Gene 5987 Human

P14373

**Background:** This gene encodes a member of the tripartite motif (TRIM) family. The TRIM motif includes

three zinc-binding domains, a RING, a B-box type 1 and a B-box type 2, and a coiled-coil

region. This protein localizes to the nuclear matrix. It interacts with the enhancer of polycomb

protein and represses gene transcription. It is also thought to be involved in the

differentiation of male germ cells. Fusion of the N-terminus of this protein with the truncated

C-terminus of the RET gene product has been shown to result in production of the ret

transforming protein. [provided by RefSeq, Jul 2008]






Synonyms: RFP; RNF76

**Protein Families:** Druggable Genome, Transcription Factors

# **Product images:**



HEK293T cells were transfected with the pCMV6-ENTRY control (Left lane) or pCMV6-ENTRY TRIM27 ([RC202184], Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-TRIM27. Positive lysates [LY401952] (100ug) and [LC401952] (20ug) can be purchased separately from OriGene.