

Product datasheet for TA804128M

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

SETD2 Mouse Monoclonal Antibody [Clone ID: OTI1B4]

Product data:

Product Type: Primary Antibodies

Clone Name: OTI1B4

Applications: WB

Recommended Dilution: WB 1:500

Reactivity: Human, Mouse, Rat

Host: Mouse Isotype: IgG1

Clonality: Monoclonal

Immunogen: Human recombinant protein fragment corresponding to amino acids 1787-2144 of human

SETD2 (NP_054878) produced in E.coli.

Formulation: PBS (pH 7.3) containing 1% BSA, 50% glycerol and 0.02% sodium azide.

Concentration: 1 mg/ml

Purification: Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography

(protein A/G)

Conjugation: Unconjugated

Storage: Store at -20°C as received.

Stability: Stable for 12 months from date of receipt.

Gene Name: SET domain containing 2

Database Link: NP 054878

Entrez Gene 235626 MouseEntrez Gene 316013 RatEntrez Gene 29072 Human

Q9BYW2

Background: Huntington's disease (HD), a neurodegenerative disorder characterized by loss of striatal

neurons, is caused by an expansion of a polyglutamine tract in the HD protein huntingtin.

This gene encodes a protein belonging to a class of huntingtin interacting proteins

characterized by WW motifs. This protein is a histone methyltransferase that is specific for lysine-36 of histone H3, and methylation of this residue is associated with active chromatin. This protein also contains a novel transcriptional activation domain and has been found associated with hyperphosphorylated RNA polymerase II. [provided by RefSeq, Aug






Synonyms: HBP231; HIF-1; HIP-1; HSPC069; HYPB; KMT3A; LLS; p231HBP; SET2

Protein Families: Druggable Genome **Protein Pathways:** Lysine degradation

Product images:



Human recombinant protein fragment corresponding to amino acids 1787-2144 of human SETD2 (NP_054878) produced in E.coli (1:500).