

#### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

# Product datasheet for TA804235AM

# IKZF3 Mouse Monoclonal Antibody (Biotin conjugated) [Clone ID: OTI1E1]

## **Product data:**

Product Type:	Primary Antibodies
Clone Name:	OTI1E1
Applications:	WB
Recommended Dilution:	WB 1:2000
Reactivity:	Human, Mouse, Rat
Host:	Mouse
lsotype:	lgG1
Clonality:	Monoclonal
Immunogen:	Human recombinant protein fragment corresponding to amino acids 1-301 of human IKZF3 (NP_036613) produced in E.coli.
Formulation:	PBS (pH 7.3) containing 1% BSA, 50% glycerol and 0.02% sodium azide.
Concentration:	0.5 mg/ml
Purification:	Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography (protein A/G)
Conjugation:	Biotin
Storage:	Store at -20°C as received.
Stability:	Stable for 12 months from date of receipt.
Predicted Protein Size:	57.8 kDa
Gene Name:	IKAROS family zinc finger 3
Database Link:	<u>NP_036613</u> <u>Entrez Gene 22780 MouseEntrez Gene 303511 RatEntrez Gene 22806 Human Q9UKT9</u>




This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2023 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

#### CRIGENE IKZF3 Mouse Monoclonal Antibody (Biotin conjugated) [Clone ID: OTI1E1] – TA804235AM

Background:This gene encodes a member of the Ikaros family of zinc-finger proteins. Three members of<br/>this protein family (Ikaros, Aiolos and Helios) are hematopoietic-specific transcription factors<br/>involved in the regulation of lymphocyte development. This gene product is a transcription<br/>factor that is important in the regulation of B lymphocyte proliferation and differentiation.<br/>Both Ikaros and Aiolos can participate in chromatin remodeling. Regulation of gene<br/>expression in B lymphocytes by Aiolos is complex as it appears to require the sequential<br/>formation of Ikaros homodimers, Ikaros/Aiolos heterodimers, and Aiolos homodimers.<br/>Several alternative transcripts encoding different isoforms have been described, as well as<br/>some non-protein coding variants. [provided by RefSeq, Apr 2012]

Synonyms: AIO; AIOLOS; ZNFN1A3

### **Product images:**



HEK293T cells were transfected with the pCMV6-ENTRY control (Left lane) or pCMV6-ENTRY IKZF3 ([RC207547], Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-IKZF3. Positive lysates [LY402225] (100ug) and [LC402225] (20ug) can be purchased separately from OriGene.

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2023 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US