

### **Product datasheet for TA804268**

#### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## **SETD2 Mouse Monoclonal Antibody [Clone ID: OTI3G8]**

#### **Product data:**

**Product Type:** Primary Antibodies

Clone Name: OTI3G8

Applications: WB

Recommended Dilution: WB 1:200

Reactivity: Human, Mouse, Rat

Host: Mouse Isotype: IgG1

Clonality: Monoclonal

**Immunogen:** Human recombinant protein fragment corresponding to amino acids 1787-2144 of human

SETD2 (NP\_054878) produced in E.coli.

**Formulation:** PBS (pH 7.3) containing 1% BSA, 50% glycerol and 0.02% sodium azide.

Concentration: 1 mg/ml

**Purification:** Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography

(protein A/G)

Conjugation: Unconjugated

**Storage:** Store at -20°C as received.

**Stability:** Stable for 12 months from date of receipt.

**Gene Name:** SET domain containing 2

Database Link: NP 054878

Entrez Gene 235626 MouseEntrez Gene 316013 RatEntrez Gene 29072 Human

Q9BYW2

**Background:** Huntington's disease (HD), a neurodegenerative disorder characterized by loss of striatal

neurons, is caused by an expansion of a polyglutamine tract in the HD protein huntingtin.

This gene encodes a protein belonging to a class of huntingtin interacting proteins


characterized by WW motifs. This protein is a histone methyltransferase that is specific for lysine-36 of histone H3, and methylation of this residue is associated with active chromatin. This protein also contains a novel transcriptional activation domain and has been found associated with hyperphosphorylated RNA polymerase II. [provided by RefSeq, Aug



Synonyms: HBP231; HIF-1; HSPC069; HYPB; KMT3A; LLS; p231HBP; SET2

Protein Families: Druggable Genome
Protein Pathways: Lysine degradation

# **Product images:**



Human recombinant protein fragment corresponding to amino acids 1787-2144 of human SETD2 (NP\_054878) produced in E.coli (1:200).