

#### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

# Product datasheet for TA805370

### COX2 (PTGS2) Mouse Monoclonal Antibody [Clone ID: OTI2E1]

#### **Product data:**

Product Type:	Primary Antibodies		
Clone Name:	OTI2E1		
Applications:	WB		
Recommended Dilution:	WB 1:2000		
Reactivity:	Human, Mouse, Rat		
Host:	Mouse		
lsotype:	lgG1		
Clonality:	Monoclonal		
Immunogen:	Human recombinant protein fragment corresponding to amino acids 18-260 of human PTGS2 (NP_000954) produced in E.coli.		
Formulation:	PBS (pH 7.3) containing 1% BSA, 50% glycerol and 0.02% sodium azide.		
Concentration:	1 mg/ml		
Purification:	Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography (protein A/G)		
Conjugation:	Unconjugated		
Storage:	Store at -20°C as received.		
Stability:	Stable for 12 months from date of receipt.		
Predicted Protein Size:	67.2 kDa		
Gene Name:	prostaglandin-endoperoxide synthase 2		
Database Link:	<u>NP_000954</u> <u>Entrez Gene 19225 MouseEntrez Gene 29527 RatEntrez Gene 5743 Human</u> <u>P35354</u>		



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2023 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

	COX2 (PTGS2) Mouse Monoclonal Antibody [Clone ID: OTI2E1] – TA805370	
Background:	Prostaglandin-endoperoxide synthase (PTGS), also known as cyclooxygenase, is the key enzyme in prostaglandin biosynthesis, and acts both as a dioxygenase and as a peroxidase. There are two isozymes of PTGS: a constitutive PTGS1 and an inducible PTGS2, which differ in their regulation of expression and tissue distribution. This gene encodes the inducible isozyme. It is regulated by specific stimulatory events, suggesting that it is responsible for the prostanoid biosynthesis involved in inflammation and mitogenesis. [provided by RefSeq, Feb 2009]	
Synonyms:	COX-2; COX2; GRIPGHS; hCox-2; PGG/HS; PGHS-2; PHS-2	
Protein Families:	Druggable Genome	
Protein Pathway	<b>s:</b> Arachidonic acid metabolism, Pathways in cancer, Small cell lung cancer, VEGF signaling pathway	

## **Product images:**

170	_	
130	_	
100		
70	_	
55		
40		
35	—	
25		
15	—	
10	—	

HEK293T cells were transfected with the pCMV6-ENTRY control (Left lane) or pCMV6-ENTRY PTGS2 ([RC202245], Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-PTGS2.

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2023 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US