

### **Product datasheet for TA805382**

#### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## TWIST2 Mouse Monoclonal Antibody [Clone ID: OTI1C4]

### **Product data:**

**Product Type:** Primary Antibodies

Clone Name: OTI1C4

**Applications:** WB

Recommended Dilution: WB 1:2000

Reactivity: Human, Mouse, Rat

Host: Mouse Isotype: IgG1

Clonality: Monoclonal

**Immunogen:** Full length human recombinant protein of human TWIST2 (NP\_476527) produced in E.coli.

**Formulation:** PBS (pH 7.3) containing 1% BSA, 50% glycerol and 0.02% sodium azide.

Concentration: 1 mg/ml

**Purification:** Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography

(protein A/G)

**Conjugation:** Unconjugated

**Storage:** Store at -20°C as received.

**Stability:** Stable for 12 months from date of receipt.

Predicted Protein Size: 17.9 kDa

**Gene Name:** twist family bHLH transcription factor 2

Database Link: NP 476527

Entrez Gene 13345 MouseEntrez Gene 59327 RatEntrez Gene 117581 Human

Q8WVJ9

Basic helix-loop-helix (bHLH) transcription factors have been implicated in cell lineage

determination and differentiation. The protein encoded by this gene is a bHLH transcription factor and shares similarity with another bHLH transcription factor, Twist. It is thought that during osteoblast development this protein may inhibit osteoblast maturation and maintain cells in a preosteoblast phenotype. Two transcript variants encoding the same protein have

been found for this gene. [provided by RefSeq, Dec 2012]




### TWIST2 Mouse Monoclonal Antibody [Clone ID: OTI1C4] - TA805382

Synonyms: AMS; BBRSAY; bHLHa39; DERMO1; FFDD3; SETLSS

**Protein Families:** Druggable Genome, Transcription Factors

# **Product images:**



HEK293T cells were transfected with the pCMV6-ENTRY control (Left lane) or pCMV6-ENTRY TWIST2 ([RC205006], Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-TWIST2. Positive lysates [LY403298] (100ug) and [LC403298] (20ug) can be purchased separately from OriGene.