

Product datasheet for TA806502BM

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

NARS2 Mouse Monoclonal Antibody (HRP conjugated) [Clone ID: OTI5A9]

Product data:

Product Type: Primary Antibodies

Clone Name: OTI5A9
Applications: IHC, WB

Recommended Dilution: WB 1:500, IHC 1:150

Reactivity: Human
Host: Mouse
Isotype: IgG2b

Clonality: Monoclonal

Immunogen: Full length human recombinant protein of human NARS2 (NP_078954) produced in HEK293T

cell

Formulation: PBS (pH 7.3) containing 1% BSA, 50% glycerol.

Concentration: 0.5 mg/ml

Purification: Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography

(protein A/G)

Conjugation: HRP

Storage: Store at -20°C as received.

Stability: Stable for 12 months from date of receipt.

Predicted Protein Size: 53.9 kDa

Gene Name: asparaginyl-tRNA synthetase 2, mitochondrial (putative)

Database Link: NP 078954

Entrez Gene 79731 Human

Q96I59


Synonyms: asnRS; DFNB94; SLM5

Protein Pathways: Aminoacyl-tRNA biosynthesis






Product images:




HEK293T cells were transfected with the pCMV6-ENTRY control (Cat# [PS100001], Left lane) or pCMV6-ENTRY NARS2 (Cat# [RC203201], Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-NARS2 (Cat# [TA806502])(1:500). Positive lysates [LY411139] (100ug) and [LC411139] (20ug) can be purchased separately from OriGene.




Immunohistochemical staining of paraffinembedded Adenocarcinoma of Human colon tissue using anti-NARS2 mouse monoclonal antibody. (Heat-induced epitope retrieval by 1mM EDTA in 10mM Tris buffer (pH8.5) at 120°C for 3min, [TA806502]) (1:150)






Immunohistochemical staining of paraffinembedded Carcinoma of Human lung tissue using anti-NARS2 mouse monoclonal antibody. (Heat-induced epitope retrieval by 1mM EDTA in 10mM Tris buffer (pH8.5) at 120°C for 3min, [TA806502]) (1:150)




Immunohistochemical staining of paraffinembedded Adenocarcinoma of Human endometrium tissue using anti-NARS2 mouse monoclonal antibody. (Heat-induced epitope retrieval by 1mM EDTA in 10mM Tris buffer (pH8.5) at 120°C for 3min, [TA806502]) (1:150)



Immunohistochemical staining of paraffinembedded Human lymphoma tissue using anti-NARS2 mouse monoclonal antibody. (Heat-induced epitope retrieval by 1mM EDTA in 10mM Tris buffer (pH8.5) at 120°C for 3min, [TA806502]) (1:150)





Immunohistochemical staining of paraffinembedded Human tonsil within the normal limits using anti-NARS2 mouse monoclonal antibody. (Heat-induced epitope retrieval by 1mM EDTA in 10mM Tris buffer (pH8.5) at 120°C for 3min, [TA806502]) (1:150)