

## **Product datasheet for TA806677AM**

### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## CD252 (TNFSF4) Mouse Monoclonal Antibody (Biotin conjugated) [Clone ID: OTI5D8]

#### **Product data:**

**Product Type:** Primary Antibodies

Clone Name: OTI5D8

Applications: WB

Reactivity: WB 1:150
Host: WB 0:150
WB 1:150
WB 1:150

**Isotype:** IgG1

Clonality: Monoclonal

**Immunogen:** Full length human recombinant protein of human TNFSF4 (NP\_003317) produced in HEK293T

cell.

**Formulation:** PBS (pH 7.3) containing 1% BSA, 50% glycerol and 0.02% sodium azide.

**Concentration:** 0.5 mg/ml

**Purification:** Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography

(protein A/G)

Conjugation: Biotin

Storage: Store at -20°C as received.

**Stability:** Stable for 12 months from date of receipt.

**Predicted Protein Size:** 20.9 kDa

**Gene Name:** tumor necrosis factor superfamily member 4

Database Link: NP 003317

Entrez Gene 7292 Human

P23510

**Background:** This gene encodes a cytokine of the tumor necrosis factor (TNF) ligand family. The encoded

protein functions in T cell antigen-presenting cell (APC) interactions and mediates adhesion of activated T cells to endothelial cells. Polymorphisms in this gene have been associated with Sjogren's syndrome and systemic lupus erythematosus. Alternative splicing results in

multiple transcript variants. [provided by RefSeq, Jul 2014]






# CD252 (TNFSF4) Mouse Monoclonal Antibody (Biotin conjugated) [Clone ID: OTI5D8] – TA806677AM

**Synonyms:** CD134L; CD252; GP34; OX-40L; OX4OL; TXGP1

Protein Families: Druggable Genome, Transmembrane
Protein Pathways: Cytokine-cytokine receptor interaction

# **Product images:**



HEK293T cells were transfected with the pCMV6-ENTRY control (Left lane) or pCMV6-ENTRY TNFSF4 ([RC224021], Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-TNFSF. Positive lysates [LY401143] (100ug) and [LC401143] (20ug) can be purchased separately from OriGene.