

#### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

# Product datasheet for TA806740S

### Protein Z (PROZ) Mouse Monoclonal Antibody [Clone ID: OTI1A11]

# **Product data:**


| Product Type:           | Primary Antibodies  |
|-------------------------|---|
| Clone Name:             | OTI1A11   |
| Applications:           | WB  |
| Recommended Dilution:   | WB 1:2000   |
| Reactivity:             | Human   |
| Host:                   | Mouse   |
| lsotype:                | lgG2a   |
| Clonality:              | Monoclonal  |
| Immunogen:              | Human recombinant protein fragment corresponding to amino acids 115-400 of human<br>PROZ(NP_003882) produced in E.coli. |
| Formulation:            | PBS (pH 7.3) containing 1% BSA, 50% glycerol and 0.02% sodium azide.  |
| Concentration:          | 1 mg/ml   |
| Purification:           | Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography<br>(protein A/G)            |
| Conjugation:            | Unconjugated  |
| Storage:                | Store at -20°C as received.   |
| Stability:              | Stable for 12 months from date of receipt.  |
| Predicted Protein Size: | 40.3 kDa  |
| Gene Name:              | protein Z, vitamin K dependent plasma glycoprotein  |
| Database Link:          | <u>NP_003882</u><br><u>Entrez Gene 8858 Human</u><br><u>P22891</u>  |



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2023 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

|                  | Protein Z (PROZ) Mouse Monoclonal Antibody [Clone ID: OTI1A11] – TA806740S   |
|------------------|--|
| Background:      | This gene encodes a liver vitamin K-dependent glycoprotein that is synthesized in the liver<br>and secreted into the plasma. The encoded protein plays a role in regulating blood<br>coagulation by complexing with protein Z-dependent protease inhibitor to directly inhibit<br>activated factor X at the phospholipid surface. Deficiencies in this protein are associated with<br>an increased risk of ischemic arterial diseases and fetal loss. Mutations in this gene are the<br>cause of protein Z deficiency. Alternate splicing results in multiple transcript variants.<br>[provided by RefSeq, Jan |
| Synonyms:        | PZ   |
| Protein Families | : Druggable Genome, Protease, Secreted Protein   |

# **Product images:**



HEK293T cells were transfected with the pCMV6-ENTRY control (Left lane) or pCMV6-ENTRY PROZ ([RC210379], Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-PROZ. Positive lysates [LY401283] (100ug) and [LC401283] (20ug) can be purchased separately from OriGene.

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2023 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US