

Product datasheet for TA807718S

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

12 Lipoxygenase (ALOX12) Mouse Monoclonal Antibody [Clone ID: OTI1C3]

Product data:

Product Type: Primary Antibodies

Clone Name: OTI1C3
Applications: IHC, WB

Recommended Dilution: WB 1:2000, IHC 1:150

Reactivity: Human, Mouse

Host: Mouse Isotype: IgG1

Clonality: Monoclonal

Immunogen: Full length human recombinant protein of human ALOX12 (NP_000688) produced in

HEK293T cell.

Formulation: PBS (pH 7.3) containing 1% BSA, 50% glycerol and 0.02% sodium azide.

Concentration: 1 mg/ml

Purification: Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography

(protein A/G)

Conjugation: Unconjugated

Storage: Store at -20°C as received.

Stability: Stable for 12 months from date of receipt.

Predicted Protein Size: 75.5 kDa

Gene Name: arachidonate 12-lipoxygenase, 12S type

Database Link: NP 000688

Entrez Gene 239 Human

P18054

Synonyms: 12-LOX; 12S-LOX; LOG12


Protein Families: Druggable Genome

Protein Pathways: Arachidonic acid metabolism, Metabolic pathways






Product images:




HEK293T cells were transfected with the pCMV6-ENTRY control (Cat# [PS100001], Left lane) or pCMV6-ENTRY ALOX12 (Cat# [RC210211], Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-ALOX12 (Cat# [TA807718])(1:2000). Positive lysates [LY424567] (100ug) and [LC424567] (20ug) can be purchased separately from OriGene.



Immunohistochemical staining of paraffinembedded Human lung tissue within the normal limits using anti-ALOX12 mouse monoclonal antibody. (Heat-induced epitope retrieval by 1mM EDTA in 10mM Tris, pH8.5, 120°C for 3min, [TA807718]) (1:150)





Immunohistochemical staining of paraffinembedded Human pancreas tissue within the normal limits using anti-ALOX12 mouse monoclonal antibody. (Heat-induced epitope retrieval by 1mM EDTA in 10mM Tris, pH8.5, 120°C for 3min, [TA807718]) (1:150)