

Product datasheet for TA807897M

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

IL3RB (CSF2RB) Mouse Monoclonal Antibody [Clone ID: OTI4H3]

Product data:

Product Type: Primary Antibodies

Clone Name: OTI4H3

Applications: IHC

Recommended Dilution: IHC 1:150

Reactivity: Human Host: Mouse

Isotype: IgG1

Clonality: Monoclonal

Immunogen: Full length human recombinant protein of human CSF2RB (NP_000386) produced in HEK293T

cell

Formulation: PBS (pH 7.3) containing 1% BSA, 50% glycerol and 0.02% sodium azide.

Concentration: 1 mg/ml

Purification: Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography

(protein A/G)

Conjugation: Unconjugated

Storage: Store at -20°C as received.

Stability: Stable for 12 months from date of receipt.

Predicted Protein Size: 95.7 kDa

Gene Name: colony stimulating factor 2 receptor beta common subunit

Database Link: NP 000386

Entrez Gene 1439 Human

P32927

Background: The protein encoded by this gene is the common beta chain of the high affinity receptor for

IL-3, IL-5 and CSF. Defects in this gene have been reported to be associated with protein

alveolar proteinosis (PAP). [provided by RefSeq, Jul 2008]

Synonyms: CD131; CDw131; IL3RB; IL5RB; SMDP5

Protein Families: Druggable Genome, Transmembrane







Protein Pathways:

Apoptosis, Cytokine-cytokine receptor interaction, Jak-STAT signaling pathway

Product images:




Immunohistochemical staining of paraffinembedded Adenocarcinoma of Human ovary tissue using anti-CSF2RB mouse monoclonal antibody. Heat-induced epitope retrieval by EDTA solution buffer pH 8.0 at 120°C for 3 min.



Immunohistochemical staining of paraffinembedded Carcinoma of Human thyroid tissue using anti-CSF2RB mouse monoclonal antibody. Heat-induced epitope retrieval by EDTA solution buffer pH 8.0 at 120°C for 3 min.





Immunohistochemical staining of paraffinembedded Human tonsil within the normal limits using anti-CSF2RB mouse monoclonal antibody. Heat-induced epitope retrieval by EDTA solution buffer pH 8.0 at 120°C for 3 min.