

Product datasheet for TA808223M

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

CDC42 binding protein kinase alpha (CDC42BPA) Mouse Monoclonal Antibody [Clone ID: OTI7B9]

Product data:

Product Type: Primary Antibodies

Clone Name: OTI7B9

Applications: WB

Recommended Dilution: WB 1:2000

Reactivity: Human, Mouse, Rat

Host: Mouse Isotype: IgG1

Clonality: Monoclonal

Immunogen: Human recombinant protein fragment corresponding to amino acids 1419-1638 of human

CDC42BPA(NP 055641) produced in E.coli.

Formulation: PBS (pH 7.3) containing 1% BSA, 50% glycerol and 0.02% sodium azide.

Concentration: 1 mg/ml

Purification: Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography

(protein A/G)

Conjugation: Unconjugated

Storage: Store at -20°C as received.

Stability: Stable for 12 months from date of receipt.

Predicted Protein Size: 185.9 kDa

Gene Name: CDC42 binding protein kinase alpha

Database Link: NP 055641

Entrez Gene 114116 RatEntrez Gene 226751 MouseEntrez Gene 8476 Human

Q5VT25





CDC42 binding protein kinase alpha (CDC42BPA) Mouse Monoclonal Antibody [Clone ID: OTI7B9] - TA808223M


Background:

The protein encoded by this gene is a member of the Serine/Threonine protein kinase family. This kinase contains multiple functional domains. Its kinase domain is highly similar to that of the myotonic dystrophy protein kinase (DMPK). This kinase also contains a Rac interactive binding (CRIB) domain, and has been shown to bind CDC42. It may function as a CDC42 downstream effector mediating CDC42 induced peripheral actin formation, and promoting cytoskeletal reorganization. Multiple alternatively spliced transcript variants have been described, and the full-length nature of two of them has been reported. [provided by RefSeq, Jul 2008]

Synonyms: MRCK; MRCKA; PK428

Protein Families: Druggable Genome, Protein Kinase

Product images:



HEK293T cells were transfected with the pCMV6-ENTRY control (Cat# [PS100001], Left lane) or pCMV6-ENTRY CDC42BPA (Cat# [RC222587], Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-CDC42BPA (Cat# [TA808223])(1:2000). Positive lysates [LY415030] (100ug) and [LC415030] (20ug) can be purchased separately from OriGene.