

Product datasheet for TA808224BM

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Somatostatin Receptor 4 (SSTR4) Mouse Monoclonal Antibody (HRP conjugated) [Clone ID: OTI2F11]

Product data:

Product Type: Primary Antibodies

Clone Name: OTI2F11

Applications: WB

Recommended Dilution: WB 1:2000

Reactivity: Human, Mouse, Rat

Host: Mouse Isotype: IgG1

Clonality: Monoclonal

Immunogen: Synthetic peptide corresponding to residues near C-terminus of human SSTR4 (NP_001043).

Formulation: PBS (pH 7.3) containing 1% BSA, 50% glycerol.

Concentration: 0.5 mg/ml

Purification: Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography

(protein A/G)

Conjugation: HRP

Storage: Store at -20°C as received.

Stability: Stable for 12 months from date of receipt.

Predicted Protein Size: 41.8 kDa

Gene Name: somatostatin receptor 4

Database Link: NP 001043

Entrez Gene 20608 MouseEntrez Gene 25555 RatEntrez Gene 6754 Human

P31391

Background: Somatostatin acts at many sites to inhibit the release of many hormones and other secretory

proteins. The biologic effects of somatostatin are probably mediated by a family of G protein-coupled receptors that are expressed in a tissue-specific manner. SSTR4 is a member of the superfamily of receptors having seven transmembrane segments and is expressed in highest

levels in fetal and adult brain and lung. [provided by RefSeq, Jul 2008]






Somatostatin Receptor 4 (SSTR4) Mouse Monoclonal Antibody (HRP conjugated) [Clone ID: OTI2F11] – TA808224BM

Synonyms: SS-4-R; SS4-R; SS4R

Protein Families: Druggable Genome, GPCR, Transmembrane

Protein Pathways: Neuroactive ligand-receptor interaction

Product images:



HEK293T cells were transfected with the pCMV6-ENTRY control (Cat# [PS100001], Left lane) or pCMV6-ENTRY SSTR4 (Cat# [RC217543], Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-SSTR4 (Cat# [TA808224])(1:2000).