

Product datasheet for TA808232

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

PRPK (TP53RK) Mouse Monoclonal Antibody [Clone ID: OTI5B2]

Product data:

Product Type: Primary Antibodies

Clone Name: OTI5B2
Applications: IHC, WB

Reactivity: WB 1:2000, IHC 1:150 **Reactivity:** Human, Mouse, Rat

Host: Mouse **Isotype:** IgG2b

Clonality: Monoclonal

Immunogen: Full length human recombinant protein of human TP53RK (NP_291028) produced in E.coli.

Formulation: PBS (pH 7.3) containing 1% BSA, 50% glycerol and 0.02% sodium azide.

Concentration: 1 mg/ml

Purification: Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography

(protein A/G)

Conjugation: Unconjugated

Storage: Store at -20°C as received.

Stability: Stable for 12 months from date of receipt.

Predicted Protein Size: 28 kDa

Gene Name: TP53 regulating kinase

Database Link: NP 291028

Entrez Gene 112858 Human

Q96S44


Synonyms: BUD32; C20orf64; dJ101A2; Nori-2; Nori-2p; PRPK

Protein Families: Druggable Genome, Protein Kinase






Product images:




HEK293T cells were transfected with the pCMV6-ENTRY control (Cat# [PS100001], Left lane) or pCMV6-ENTRY TP53RK (Cat# [RC209748], Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-TP53RK (Cat# TA808232)(1:2000). Positive lysates [LY403262] (100ug) and [LC403262] (20ug) can be purchased separately from OriGene.




Immunohistochemical staining of paraffinembedded Carcinoma of Human liver tissue using anti-TP53RK mouse monoclonal antibody. (Heat-induced epitope retrieval by 1mM EDTA in 10mM Tris, pH8.5, 120°C for 3min, TA808232) (1:150)





Immunohistochemical staining of paraffinembedded Carcinoma of Human lung tissue using anti-TP53RK mouse monoclonal antibody. (Heat-induced epitope retrieval by 1mM EDTA in 10mM Tris, pH8.5, 120°C for 3min, TA808232) (1:150)



Immunohistochemical staining of paraffinembedded Adenocarcinoma of Human ovary tissue using anti-TP53RK mouse monoclonal antibody. (Heat-induced epitope retrieval by 1mM EDTA in 10mM Tris, pH8.5, 120°C for 3min, TA808232) (1:150)