

Product datasheet for TA808409AM

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

ETFA Mouse Monoclonal Antibody (Biotin conjugated) [Clone ID: OTI5C4]

Product data:

Product Type: Primary Antibodies

Clone Name: OTI5C4

Applications: WB

Recommended Dilution: WB 1:2000

Reactivity: Human, Mouse, Rat

Host: Mouse Isotype: IgG1

Clonality: Monoclonal

Immunogen: Full length human recombinant protein of human ETFA (NP_000117) produced in E.coli.

Formulation: PBS (pH 7.3) containing 1% BSA, 50% glycerol and 0.02% sodium azide.

Concentration: 0.5 mg/ml

Purification: Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography

(protein A/G)

Conjugation: Biotin

Storage: Store at -20°C as received.

Stability: Stable for 12 months from date of receipt.

Predicted Protein Size: 34.9 kDa

Gene Name: electron transfer flavoprotein alpha subunit

Database Link: NP 000117

Entrez Gene 110842 MouseEntrez Gene 300726 RatEntrez Gene 2108 Human

P13804

Background: ETFA participates in catalyzing the initial step of the mitochondrial fatty acid beta-oxidation. It

shuttles electrons between primary flavoprotein dehydrogenases and the membrane-bound electron transfer flavoprotein ubiquinone oxidoreductase. Defects in electron-transfer-flavoprotein have been implicated in type II glutaricaciduria in which multiple acyl-CoA dehydrogenase deficiencies result in large excretion of glutaric, lactic, ethylmalonic, butyric, isobutyric, 2-methyl-butyric, and isovaleric acids. Two transcript variants encoding different

isoforms have been found for this gene. [provided by RefSeq, Jul 2008]







Synonyms: EMA; GA2; MADD

Protein Families: Druggable Genome

Product images:





HEK293T cells were transfected with the pCMV6-ENTRY control (Cat# [PS100001], Left lane) or pCMV6-ENTRY ETFA (Cat# [RC202147], Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-ETFA (Cat# [TA808409])(1:2000). Positive lysates [LY424904] (100ug) and [LC424904] (20ug) can be purchased separately from OriGene.

Equivalent amounts of cell lysates (10 ug per lane) of wild-type 293T cells (WT, Cat# LC810293T) and ETFA-Knockout 293T cells (KO, Cat# [LC811427]) were separated by SDS-PAGE and immunoblotted with anti-ETFA monoclonal antibody [TA808409], (1:500). Then the blotted membrane was stripped and reprobed with anti-HSP90AB1 antibody ([TA500494]) as a loading control.