

#### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

# Product datasheet for TA808669M

# BTBD3 Mouse Monoclonal Antibody [Clone ID: OTI13F6]

## **Product data:**


| Product Type:           | Primary Antibodies   |
|-------------------------|--|
| Clone Name:             | OTI13F6  |
| Applications:           | WB   |
| Recommended Dilution:   | WB 1:2000  |
| Reactivity:             | Human, Mouse, Rat  |
| Host:                   | Mouse  |
| lsotype:                | lgG1   |
| Clonality:              | Monoclonal   |
| Immunogen:              | Full length human recombinant protein of human BTBD3 (NP_852108) produced in E.coli.   |
| Formulation:            | PBS (pH 7.3) containing 1% BSA, 50% glycerol and 0.02% sodium azide.   |
| Concentration:          | 1 mg/ml  |
| Purification:           | Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography<br>(protein A/G)   |
| Conjugation:            | Unconjugated   |
| Storage:                | Store at -20°C as received.  |
| Stability:              | Stable for 12 months from date of receipt.   |
| Predicted Protein Size: | 51.3 kDa   |
| Gene Name:              | BTB domain containing 3  |
| Database Link:          | <u>NP_852108</u><br><u>Entrez Gene 228662 MouseEntrez Gene 311462 RatEntrez Gene 22903 Human</u><br><u>Q9Y2F9</u>  |
| Background:             | Acts as a key regulator of dendritic field orientation during development of sensory cortex.<br>Also directs dendrites toward active axon terminals when ectopically expressed.<br>[UniProtKB/Swiss-Prot Function] |
| Synonyms:               | dJ742J24.1   |



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2025 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US



## **Product images:**



HEK293T cells were transfected with the pCMV6-ENTRY control (Left lane) or pCMV6-ENTRY BTBD3 ([RC223754], Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-BTBD3 (1:2000). Positive lysates [LY405759] (100ug) and [LC405759] (20ug) can be purchased separately from OriGene.

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2025 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US