

# Product datasheet for TA808771M

### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

# PD-L1 (CD274) Mouse Monoclonal Antibody [Clone ID: OTI9E12]

#### **Product data:**

**Product Type:** Primary Antibodies

Clone Name: OTI9E12

**Applications:** ELISA, FC, IF, LMNX, WB

Recommended Dilution: WB 1:500
Reactivity: Human
Host: Mouse
Isotype: IgG1

Clonality: Monoclonal

Immunogen: Human recombinant protein fragment corresponding to amino acids 19-239 of human PD-

L1/CD274(NP\_054862) produced in HEK293 cells.

**Formulation:** PBS (pH 7.3) containing 1% BSA, 50% glycerol and 0.02% sodium azide.

Concentration: 1 mg/ml

**Purification:** Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography

(protein A/G)

Conjugation: Unconjugated

**Storage:** Store at -20°C as received.

**Stability:** Stable for 12 months from date of receipt.

**Predicted Protein Size:** 31 kDa

Gene Name: CD274 molecule

Database Link: NP 054862

Entrez Gene 29126 Human

Q9NZQ7


Synonyms: B7-H; B7H1; PD-L1; PDCD1L1; PDCD1LG1; PDL1

**Protein Families:** Druggable Genome, Transmembrane


**Protein Pathways:** Cell adhesion molecules (CAMs)



## **Product images:**




HEK293T cells were transfected with the pCMV6-ENTRY control (Left lane) or pCMV6-ENTRY CD274 ([RC213071], Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-CD274 (1:500). Positive lysates [LY415473] (100ug) and [LC415473] (20ug) can be purchased separately from OriGene.




PD-L1 ELISA with 13G7 Capture ([TA809809]) and 9E12 Detection ([TA808771]) Antibodies. Substrate used: Recombinant Human PD-L1 ([TP700201])






PD-L1 ELISA with 9E12 Capture ([TA808771]) and 4D4 Detection ([TA507099]) Antibodies. Substrate used: Recombinant Human PD-L1 ([TP700201])




PD-L1 ELISA with 2C7 Capture ([TA507087]) and 9E12 Detection ([TA808771]) Antibodies. Substrate used: Recombinant Human PD-L1 ([TP700201])




Immunocytochemistry staining of stable expression CD274 cells using anti-CD274 mouse monoclonal antibody ([TA808771]) (Left). The right is negative control. (1:5000) (1:2000)






Flow cytometric Analysis of HCC78 cells, using anti-PDL1 antibody ([TA808771]), (Red), compared to isotype control, (green), and negative control (PBS), (Blue) (1:100).




Flow cytometric Analysis of stable expression CD274 ([RC213071]) in HEK293T cells (Red) compared to negative control HEK293T cells (Blue) using anti-CD274 antibody ([TA808771]) (1:100).



PD-L1 Luminex ELISA with 9E12 Capture ([TA808771]) and 4D4 Detection ([TA507099]) Antibodies. Substrate used: Recombinant Human PD-L1 ([TP700201])





PD-L1 Luminex ELISA with 2C7 Capture ([TA507087]) and 9E12 Detection ([TA808771]) Antibodies. Substrate used: Recombinant Human PD-L1 ([TP700201])