

Product datasheet for TA808924

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

AHA1 (AHSA1) Mouse Monoclonal Antibody [Clone ID: OTI1D2]

Product data:

Product Type: Primary Antibodies

Clone Name: OTI1D2
Applications: IHC, WB

Reactivity: WB 1:2000, IHC 1:150 **Reactivity:** Human, Mouse, Rat

Host: Mouse Isotype: IgG1

Clonality: Monoclonal

Immunogen: Human recombinant protein fragment corresponding to amino acids 1-203 of human AHSA1

(NP_036243) produced in E.coli.

Formulation: PBS (pH 7.3) containing 1% BSA, 50% glycerol and 0.02% sodium azide.

Concentration: 1 mg/ml

Purification: Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography

(protein A/G)

Conjugation: Unconjugated

Storage: Store at -20°C as received.

Stability: Stable for 12 months from date of receipt.

Predicted Protein Size: 38.1 kDa

Gene Name: activator of Hsp90 ATPase activity 1

Database Link: NP 036243

Entrez Gene 217737 MouseEntrez Gene 681996 RatEntrez Gene 10598 Human

<u>095433</u>

Background: Interacts with HSPCA/HSP90 and with the cytoplasmic tail of the vesicular stomatitis virus

glycoprotein (VSV G). Interacts with GCH1. Interacts with SRPK1. [UniProtKB/Swiss-Prot


Function]


Synonyms: AHA1; C14orf3; p38





Product images:







HEK293T cells were transfected with the pCMV6-ENTRY control (Cat# [PS100001], Left lane) or pCMV6-ENTRY AHSA1 (Cat# [RC201782], Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-AHSA1 (Cat# TA808924)(1:2000). Positive lysates [LY402150] (100ug) and [LC402150] (20ug) can be purchased separately from OriGene.

Equivalent amounts of cell lysates (10 ug per lane) of wild-type Hela cells (WT) and AHSA1-Knockout Hela cells (KO) were separated by SDS-PAGE and immunoblotted with anti-AHSA1 monoclonal antibody TA808924. Then the blotted membrane was stripped and reprobed with anti-HSP90AB1 antibody ([TA500494]) as a loading control (1:500).






Immunohistochemical staining of paraffinembedded Adenocarcinoma of Human ovary tissue using anti-AHSA1 mouse monoclonal antibody. (Heat-induced epitope retrieval by 1mM EDTA in 10mM Tris buffer (pH8.5) at 120°C for 3min, TA808924) (1:150)



Immunohistochemical staining of paraffinembedded Carcinoma of Human thyroid tissue using anti-AHSA1 mouse monoclonal antibody. (Heat-induced epitope retrieval by 1mM EDTA in 10mM Tris buffer (pH8.5) at 120°C for 3min, TA808924) (1:150)



Immunohistochemical staining of paraffinembedded Adenocarcinoma of Human endometrium tissue using anti-AHSA1 mouse monoclonal antibody. (Heat-induced epitope retrieval by 1mM EDTA in 10mM Tris buffer (pH8.5) at 120°C for 3min, TA808924) (1:150)