

Product datasheet for TA809283AM

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

GRB7 Mouse Monoclonal Antibody (Biotin conjugated) [Clone ID: OTI6H2]

Product data:

Product Type: Primary Antibodies

Clone Name: OTI6H2
Applications: IHC, WB

Reactivity: WB 1:2000, IHC 1:2000 **Reactivity:** Human, Mouse, Rat

Host: Mouse Isotype: IgG2b

Clonality: Monoclonal

Immunogen: Full length human recombinant protein of human GRB7 (NP_005301) produced in E.coli.

Formulation: PBS (pH 7.3) containing 1% BSA, 50% glycerol and 0.02% sodium azide.

Concentration: 0.5 mg/ml

Purification: Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography

(protein A/G)

Conjugation: Biotin

Storage: Store at -20°C as received.

Stability: Stable for 12 months from date of receipt.

Predicted Protein Size: 59.5 kDa

Gene Name: growth factor receptor bound protein 7

Database Link: NP 005301

Entrez Gene 14786 MouseEntrez Gene 84427 RatEntrez Gene 2886 Human

Q14451


Synonyms: growth factor receptor-bound protein 7; OTTHUMP00000164352

Protein Families: Druggable Genome, Embryonic stem cells, Stem cell - Pluripotency






Product images:




HEK293T cells were transfected with the pCMV6-ENTRY control (Cat# [PS100001], Left lane) or pCMV6-ENTRY GRB7 (Cat# [RC215362], Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-GRB7 (Cat# [TA809283])(1:2000). Positive lysates [LY401639] (100ug) and [LC401639] (20ug) can be purchased separately from OriGene.



Immunohistochemical staining of paraffinembedded Human Kidney tissue within the normal limits using anti-GRB7 mouse monoclonal antibody. (Heat-induced epitope retrieval by 1mM EDTA in 10mM Tris buffer (pH8.5) at 120°C for 3min, [TA809283]) (1:2000)





Immunohistochemical staining of paraffinembedded Carcinoma of Human lung tissue using anti-GRB7 mouse monoclonal antibody. (Heat-induced epitope retrieval by 1mM EDTA in 10mM Tris buffer (pH8.5) at 120°C for 3min, [TA809283]) (1:2000)