

# Product datasheet for TA809309M

# PATZ1 Mouse Monoclonal Antibody [Clone ID: OTI8D6]

# **Product data:**

Product Type:	Primary Antibodies
Clone Name:	OTI8D6
Applications:	WB
Recommended Dilution:	WB 1:2000
Reactivity:	Human, Mouse, Rat
Host:	Mouse
lsotype:	lgG1
Clonality:	Monoclonal
Immunogen:	Full length human recombinant protein of human PATZ1(NP_114440) produced in E.coli.
Formulation:	PBS (pH 7.3) containing 1% BSA, 50% glycerol and 0.02% sodium azide.
Concentration:	1 mg/ml
Purification:	Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography (protein A/G)
Conjugation:	Unconjugated
Storage:	Store at -20°C as received.
Stability:	Stable for 12 months from date of receipt.
Gene Name:	POZ/BTB and AT hook containing zinc finger 1
Database Link:	<u>NP_114440</u> <u>Entrez Gene 56218 MouseEntrez Gene 305471 RatEntrez Gene 23598 Human Q9HBE1</u>

View online »

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2025 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

### OriGene Technologies, Inc.


9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

### Serigene PATZ1 Mouse Monoclonal Antibody [Clone ID: OTI8D6] – TA809309M

Background:The protein encoded by this gene contains an A-T hook DNA binding motif which usually<br/>binds to other DNA binding structures to play an important role in chromatin modeling and<br/>transcription regulation. Its Poz domain is thought to function as a site for protein-protein<br/>interaction and is required for transcriptional repression, and the zinc-fingers comprise the<br/>DNA binding domain. Since the encoded protein has typical features of a transcription factor,<br/>it is postulated to be a repressor of gene expression. In small round cell sarcoma, this gene is<br/>fused to EWS by a small inversion of 22q, then the hybrid is thought to be translocated<br/>(t(1;22)(p36.1;q12). The rearrangement of chromosome 22 involves intron 8 of EWS and exon<br/>1 of this gene creating a chimeric sequence containing the transactivation domain of EWS<br/>fused to zinc finger domain of this protein. This is a distinct example of an intra-<br/>chromosomal rearrangement of chromosome 22. Four alternatively spliced transcript<br/>variants are described for this gene. [provided by RefSeq, Jul 2008]

Synonyms:dJ400N23; MAZR; PATZ; RIAZ; ZBTB19; ZNF278; ZSGProtein Families:Transcription Factors

## **Product images:**



HEK293T cells were transfected with the pCMV6-ENTRY control (Left lane) or pCMV6-ENTRY PATZ1 ([RC205802], Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-PATZ1 (1:2000). Positive lysates [LY410365] (100ug) and [LC410365] (20ug) can be purchased separately from OriGene.

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2025 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US