

Product datasheet for TA809349AM

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

TGF beta Receptor III (TGFBR3) Mouse Monoclonal Antibody (Biotin conjugated) [Clone ID: OTI6F8]

Product data:

Product Type: Primary Antibodies

Clone Name: OTI6F8

Applications: WB

Recommended Dilution: WB 1:500
Reactivity: Human
Host: Mouse
Isotype: IgG1

Clonality: Monoclonal

Immunogen: Human recombinant protein fragment corresponding to amino acids 531-777 of human

TGFBR3(NP 003234) produced in E.coli.

Formulation: PBS (pH 7.3) containing 1% BSA, 50% glycerol and 0.02% sodium azide.

Concentration: 0.5 mg/ml

Purification: Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography

(protein A/G)

Conjugation: Biotin

Storage: Store at -20°C as received.

Stability: Stable for 12 months from date of receipt.

Predicted Protein Size: 93.3 kDa

Gene Name: transforming growth factor beta receptor 3

Database Link: NP 003234

Entrez Gene 7049 Human

Q03167





TGF beta Receptor III (TGFBR3) Mouse Monoclonal Antibody (Biotin conjugated) [Clone ID: OTI6F8] – TA809349AM

Background: This locus encodes the transforming growth factor (TGF)-beta type III receptor. The encoded


receptor is a membrane proteoglycan that often functions as a co-receptor with other TGF-beta receptor superfamily members. Ectodomain shedding produces soluble TGFBR3, which may inhibit TGFB signaling. Decreased expression of this receptor has been observed in various cancers. Alternatively spliced transcript variants encoding different isoforms have

been identified for this gene. [provided by RefSeq, Sep 2010]

Synonyms: betaglycan; BGCAN

Protein Families: Druggable Genome, Secreted Protein, Transmembrane

Product images:



HEK293T cells were transfected with the pCMV6-ENTRY control (Left lane) or pCMV6-ENTRY TGFBR3 ([RC216595], Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-TGFBR3 (1:500). Positive lysates [LY401117] (100ug) and [LC401117] (20ug) can be purchased separately from OriGene.