

## Product datasheet for TA809523BM

#### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

### DNAAF10 Mouse Monoclonal Antibody (HRP conjugated) [Clone ID: OTI4B9]

#### **Product data:**

**Product Type:** Primary Antibodies

Clone Name: OTI4B9

Applications: WB

Recommended Dilution: WB 1:500~2000

Reactivity: Human, Mouse, Rat

Host: Mouse Isotype: IgG2b

Clonality: Monoclonal

Immunogen: Full length human recombiant protein of human WDR92 (NP\_612467) produced in HEK293T

cell.

**Formulation:** PBS (pH 7.3) containing 1% BSA, 50% glycerol.

Concentration: 0.5 mg/ml

**Purification:** Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography

(protein A/G)

Conjugation: HRP

Storage: Store at -20°C as received.

**Stability:** Stable for 12 months from date of receipt.

**Predicted Protein Size:** 39.6 kDa

**Gene Name:** WD repeat domain 92

Database Link: NP 612467

Entrez Gene 103784 MouseEntrez Gene 498418 RatEntrez Gene 116143 Human

Q96MX6

**Background:** This gene encodes a protein with two WD40 repeat domains thought to be involved in an

apoptosis via activation of caspase-3. Multiple transcript variants encoding different isoforms

have been found for this gene. [provided by RefSeq, Feb 2012]


Synonyms: FLJ31741

**Protein Families:** Druggable Genome






# **Product images:**



HEK293T cells were transfected with the pCMV6-ENTRY control (Cat# [PS100001], Left lane) or pCMV6-ENTRY WDR92 (Cat# [RC208985], Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-WDR92 (Cat# [TA809523])(1:2000). Positive lysates [LY408608] (100ug) and [LC408608] (20ug) can be purchased separately from OriGene.



Western blot analysis of extracts (35ug) from 2 different cell lines and human kidney tissue lysate by using anti-WDR92 monoclonal antibody (1:500).