

## **Product datasheet for TA809833**

### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

# **UPRT Mouse Monoclonal Antibody [Clone ID: OTI1D11]**

#### **Product data:**

**Product Type:** Primary Antibodies

Clone Name: OTI1D11
Applications: IHC, WB

**Recommended Dilution:** WB 1:500, IHC 1:500

Reactivity: Human, Mouse, Rat

Host: Mouse Isotype: IgG1

Clonality: Monoclonal

Immunogen: Full length human recombinant protein of human UPRT (NP\_659489) produced in 293T.

**Formulation:** PBS (pH 7.3) containing 1% BSA, 50% glycerol and 0.02% sodium azide.

Concentration: 1 mg/ml

**Purification:** Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography

(protein A/G)

Conjugation: Unconjugated

**Storage:** Store at -20°C as received.

**Stability:** Stable for 12 months from date of receipt.

Predicted Protein Size: 33.6 kDa

**Gene Name:** uracil phosphoribosyltransferase homolog

Database Link: NP 659489

Entrez Gene 139596 Human

Q96BW1


Synonyms: FUR1; UPP

**Protein Families:** Druggable Genome


**Protein Pathways:** Metabolic pathways, Pyrimidine metabolism



## **Product images:**




HEK293T cells were transfected with the pCMV6-ENTRY control (Left lane) or pCMV6-ENTRY UPRT ([RC205030], Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-UPRT (1:2000). Positive lysates [LY408068] (100ug) and [LC408068] (20ug) can be purchased separately from OriGene.




Western blot analysis of extracts (35ug) from 5 different cell lines by using anti-UPRT monoclonal antibody (1:500).





Immunohistochemical staining of paraffinembedded Human prostate tissue within the normal limits using anti-UPRT mouse monoclonal antibody. (Heat-induced epitope retrieval by 1mM EDTA in 10mM Tris buffer (pH8.5) at 120°C for 3min, TA809833) (1:500)



Immunohistochemical staining of paraffinembedded Carcinoma of Human prostate tissue using anti-UPRT mouse monoclonal antibody. (Heat-induced epitope retrieval by 1mM EDTA in 10mM Tris buffer (pH8.5) at 120°C for 3min, TA809833) (1:500)