

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Product datasheet for TA809859

SIRT1 Mouse Monoclonal Antibody [Clone ID: OTI12H3]

Product data:

Product Type:	Primary Antibodies		
Clone Name:	OTI12H3		
Applications:	WB		
Recommended Dilution:	WB 1:2000		
Reactivity:	Human, Mouse, Rat		
Host:	Mouse		
lsotype:	lgG2b		
Clonality:	Monoclonal		
Immunogen:	Human recombinant protein fragment corresponding to amino acids 552-676 of human SIRT1(NP_036370) produced in E.coli.		
Formulation:	PBS (pH 7.3) containing 1% BSA, 50% glycerol and 0.02% sodium azide.		
Concentration:	1 mg/ml		
Purification:	Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography (protein A/G)		
Conjugation:	Unconjugated		
Storage:	Store at -20°C as received.		
Stability:	Stable for 12 months from date of receipt.		
Predicted Protein Size:	81.5 kDa		
Gene Name:	sirtuin 1		
Database Link:	<u>NP_036370</u> <u>Entrez Gene 93759 MouseEntrez Gene 309757 RatEntrez Gene 23411 Human</u> <u>Q96EB6</u>		



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

	SIRT1 Mouse Monoclonal Antibody [Clone ID: OTI12H3] – TA809859	
Background:	This gene encodes a member of the sirtuin family of proteins, homologs to the yeast Sir2 protein. Members of the sirtuin family are characterized by a sirtuin core domain and grouped into four classes. The functions of human sirtuins have not yet been determined; however, yeast sirtuin proteins are known to regulate epigenetic gene silencing and suppress recombination of rDNA. Studies suggest that the human sirtuins may function as intracellular regulatory proteins with mono-ADP-ribosyltransferase activity. The protein encoded by this gene is included in class I of the sirtuin family. Alternative splicing results in multiple transcript variants. [provided by RefSeq, Dec 2008]	
Synonyms:	SIR2; SIR2alpha; SIR2L1	
Protein Families	Druggable Genome, Stem cell - Pluripotency, Transcription Factors	

Product images:

-	-
_	
_	
—	
—	
—	

HEK293T cells were transfected with the pCMV6-ENTRY control (Left lane) or pCMV6-ENTRY SIRT1 ([RC218134], Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-SIRT1 (1:2000). Positive lysates [LY402173] (100ug) and [LC402173] (20ug) can be purchased separately from OriGene.

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US