

Product datasheet for TA809915AM

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

PRMT7 Mouse Monoclonal Antibody (Biotin conjugated) [Clone ID: OTI9B7]

Product data:

Product Type: Primary Antibodies

Clone Name: OTI9B7
Applications: WB

Recommended Dilution: WB 1:2000

Reactivity: Human, Mouse

Host: Mouse Isotype: IgG1

Clonality: Monoclonal

Immunogen: Full length human recombinant protein of human PRMT7 (NP_061896) produced in HEK293T

cell.

Formulation: PBS (pH 7.3) containing 1% BSA, 50% glycerol and 0.02% sodium azide.

Concentration: 0.5 mg/ml

Purification: Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography

(protein A/G)

Conjugation: Biotin

Storage: Store at -20°C as received.

Stability: Stable for 12 months from date of receipt.

Predicted Protein Size: 78.3 kDa

Gene Name: protein arginine methyltransferase 7

Database Link: NP 061896

Entrez Gene 214572 MouseEntrez Gene 54496 Human

Q9NVM4






Background:

Arginine methylation is an apparently irreversible protein modification catalyzed by arginine methyltransferases, such as PMT7, using S-adenosylmethionine (AdoMet) as the methyl donor. Arginine methylation is implicated in signal transduction, RNA transport, and RNA splicing (Miranda et al., 2004 [PubMed 15044439]). [supplied by OMIM, Mar 2008]. Transcript Variant: This variant (2) lacks an exon in the 5' UTR and in the 5' coding region compared to variant 1. The resulting protein (isoform 2) is shorter but has the same N- and C-termini compared to isoform 1. ##Evidence-Data-START## Transcript exon combination :: AK304605.1 [ECO:0000332] RNAseq introns :: single sample supports all introns ERS025087, ERS025093 [ECO:0000348] ##Evidence-Data-END## COMPLETENESS: complete on the 3' end.

Synonyms: FLJ10640; KIAA1933

Protein Families: Druggable Genome

Product images:



HEK293T cells were transfected with the pCMV6-ENTRY control (Left lane) or pCMV6-ENTRY PRMT7 ([RC201672], Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-PRMT7 (1:2000). Positive lysates [LY402728] (100ug) and [LC402728] (20ug) can be purchased separately from OriGene.