

Product datasheet for TA809917

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Semaphorin 3D (SEMA3D) Mouse Monoclonal Antibody [Clone ID: OTI2H4]

Product data:

Product Type: Primary Antibodies

Clone Name: OTI2H4
Applications: IHC, WB

Reactivity: WB 1:500, IHC 1:500 **Reactivity:** Human, Mouse, Rat

Host: Mouse Isotype: IgG1

Clonality: Monoclonal

Immunogen: Human recombinant protein fragment corresponding to amino acids 200-291 of human

SEMA3D(NP_689967) produced in E.coli.

Formulation: PBS (pH 7.3) containing 1% BSA, 50% glycerol and 0.02% sodium azide.

Concentration: 1 mg/ml

Purification: Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography

(protein A/G)

Conjugation: Unconjugated

Storage: Store at -20°C as received.

Stability: Stable for 12 months from date of receipt.

Predicted Protein Size: 89.5 kDa

Gene Name: semaphorin 3D **Database Link:** NP 689967

Entrez Gene 108151 MouseEntrez Gene 246262 RatEntrez Gene 223117 Human

095025

Background: Induces the collapse and paralysis of neuronal growth cones. Could potentially act as

repulsive cues toward specific neuronal populations. Binds to neuropilin. [UniProtKB/Swiss-

Prot Function]


Synonyms: coll-2; Sema-Z2 **Protein Families:** Transmembrane






Protein Pathways: Axon guidance

Product images:




HEK293T cells were transfected with the pCMV6-ENTRY control (Cat# [PS100001], Left lane) or pCMV6-ENTRY SEMA3D (Cat# [RC216032], Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-SEMA3D (Cat# TA809917)(1:500). Positive lysates [LY407304] (100ug) and [LC407304] (20ug) can be purchased separately from OriGene.



Immunohistochemical staining of paraffinembedded Human embryonic brain cortex tissue within the normal limits using anti-SEMA3D mouse monoclonal antibody. (Heat-induced epitope retrieval by 1mM EDTA in 10mM Tris buffer (pH8.5) at 120°C for 3min, TA809917) (1:500)





Immunohistochemical staining of paraffinembedded Human placenta tissue within the normal limits using anti-SEMA3D mouse monoclonal antibody. (Heat-induced epitope retrieval by 1mM EDTA in 10mM Tris buffer (pH8.5) at 120°C for 3min, TA809917) (1:500)