

# **Product datasheet for TA809970S**

#### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## **TEKT2 Mouse Monoclonal Antibody [Clone ID: OTI1E11]**

#### **Product data:**

**Product Type:** Primary Antibodies

Clone Name: OTI1E11

Applications: WB

Recommended Dilution: WB 1:500~2000

Reactivity: Human
Host: Mouse
Isotype: IgG1

Clonality: Monoclonal

**Immunogen:** Human recombinant protein fragment corresponding to amino acids 1-244 of human

TEKT2(NP\_055281) produced in E.coli.

**Formulation:** PBS (pH 7.3) containing 1% BSA, 50% glycerol and 0.02% sodium azide.

Concentration: 1 mg/ml

**Purification:** Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography

(protein A/G)

Conjugation: Unconjugated

**Storage:** Store at -20°C as received.

**Stability:** Stable for 12 months from date of receipt.

Predicted Protein Size: 49.5 kDa Gene Name: tektin 2

Database Link: NP 055281

Entrez Gene 27285 Human

Q9UIF3

**Background:** This gene product belongs to the tektin family of proteins. Tektins comprise a family of

filament-forming proteins that are coassembled with tubulins to form ciliary and flagellar microtubules. This gene is expressed in the testis and its protein is localized to the flagella of the sperms, indicating that it may play a role in spermatogenesis. [provided by RefSeq, Jul

2008]







Synonyms:

h-tektin-t; TEKTB1; TEKTIN-T

### **Product images:**



HEK293T cells were transfected with the pCMV6-ENTRY control (Cat# [PS100001], Left lane) or pCMV6-ENTRY TEKT2 (Cat# [RC207425], Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-TEKT2 (Cat# [TA809970])(1:2000). Positive lysates [LY415231] (100ug) and [LC415231] (20ug) can be purchased separately from OriGene.



Western blot analysis of extracts (35ug) from 2 different cell lines by using anti-TEKT2 monoclonal antibody (1:500).