

Product datasheet for TA810102

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com

OriGene Technologies, Inc.

https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

SUGT1 Mouse Monoclonal Antibody [Clone ID: OTI7D2]

Product data:

Product Type: Primary Antibodies

Clone Name: OTI7D2

Applications: WB

Recommended Dilution: WB 1:500~2000

Reactivity: Human, Mouse, Rat

Host: Mouse Isotype: IgG1

Clonality: Monoclonal

Immunogen: Full length human recombinant protein of human SUGT1(NP_006695) produced in E.coli.

Formulation: PBS (pH 7.3) containing 1% BSA, 50% glycerol and 0.02% sodium azide.

Concentration: 1 mg/ml

Purification: Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography

(protein A/G)

Conjugation: Unconjugated

Storage: Store at -20°C as received.

Stability: Stable for 12 months from date of receipt.

Predicted Protein Size: 37.6 kDa

Gene Name: SGT1 homolog, MIS12 kinetochore complex assembly cochaperone

Database Link: NP 006695

Entrez Gene 67955 MouseEntrez Gene 290408 RatEntrez Gene 10910 Human

Q9Y2Z0


Synonyms: SGT1

Protein Pathways: NOD-like receptor signaling pathway






Product images:




HEK293T cells were transfected with the pCMV6-ENTRY control (Cat# [PS100001], Left lane) or pCMV6-ENTRY SUGT1 (Cat# [RC201676], Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-SUGT1 (Cat# TA810102)(1:2000). Positive lysates [LY416475] (100ug) and [LC416475] (20ug) can be purchased separately from OriGene.



Western blot analysis of extracts (35ug) from 7 different cell lines by using anti-SUGT1 monoclonal antibody (1:500).





Equivalent amounts of cell lysates (10 ug per lane) of wild-type HeLa cells (WT, Cat# LC810HELA) and SUGT1-Knockout HeLa cells (KO, Cat# [LC833528]) were separated by SDS-PAGE and immunoblotted with anti-SUGT1 monoclonal antibody TA810102 (1:500). Then the blotted membrane was stripped and reprobed with anti-HSP90 antibody as a loading control.