

Product datasheet for TA810617S

OIP5 Mouse Monoclonal Antibody [Clone ID: OTI1F1]

Product data:

Product Type: Primary Antibodies Clone Name: OTI1F1 IHC, WB **Applications:** Recommended Dilution: WB 1:500, IHC 1:150 **Reactivity:** Human Host: Mouse Isotype: lgG1 **Clonality:** Monoclonal Full length human recombinant protein of human OIP5 (NP_009211) produced in E.coli. Immunogen: PBS (pH 7.3) containing 1% BSA, 50% glycerol and 0.02% sodium azide. Formulation: Concentration: 1 mg/ml **Purification:** Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography (protein A/G) **Conjugation:** Unconjugated Storage: Store at -20°C as received. Stability: Stable for 12 months from date of receipt. Predicted Protein Size: 24.5 kDa Gene Name: Opa interacting protein 5 Database Link: NP 009211 Entrez Gene 11339 Human 043482 5730547N13Rik; CT86; hMIS18beta; LINT-25; MIS18B; MIS18beta Synonyms:




This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2023 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn


Product images:



HEK293T cells were transfected with the pCMV6-ENTRY control (Cat# [PS100001], Left lane) or pCMV6-ENTRY OIP5 (Cat# [RC202255], Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-OIP5 (Cat# [TA810617])(1:500). Positive lysates [LY416056] (100ug) and [LC416056] (20ug) can be purchased separately from OriGene.

MCF7

15 -10 - Western blot analysis of MCF7 cell lysate (35ug) by using anti-OIP5 monoclonal antibody (1:500).

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2023 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US 

Immunohistochemical staining of paraffinembedded Human tonsil within the normal limits using anti-OIP5 mouse monoclonal antibody. (Heat-induced epitope retrieval by 1mM EDTA in 10mM Tris buffer (pH8.5) at 120°C for 3min, [TA810617]) (1:150)

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2023 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US