

Product datasheet for TA810786

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

UBE2D4 Mouse Monoclonal Antibody [Clone ID: OTI1B1]

Product data:

Product Type: Primary Antibodies

Clone Name: OTI1B1
Applications: IHC, WB

Recommended Dilution: WB 1:500~2000, IHC 1:150

Reactivity: Human, Mouse, Rat

Host: Mouse Isotype: IgG1

Clonality: Monoclonal

Immunogen: Full length human recombiant protein of human UBE2D4 (NP_057067) produced in E.coli.

Formulation: PBS (pH 7.3) containing 1% BSA, 50% glycerol and 0.02% sodium azide.

Concentration: 1 mg/ml

Purification: Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography

(protein A/G)

Conjugation: Unconjugated

Storage: Store at -20°C as received.

Stability: Stable for 12 months from date of receipt.

Predicted Protein Size: 16.5 kDa

Gene Name: ubiquitin conjugating enzyme E2 D4 (putative)

Database Link: NP 057067

Entrez Gene 79435 RatEntrez Gene 546638 MouseEntrez Gene 51619 Human


Q9Y2X8

Synonyms: HBUCE1


Protein Pathways: Ubiquitin mediated proteolysis



Product images:




HEK293T cells were transfected with the pCMV6-ENTRY control (Cat# [PS100001], Left lane) or pCMV6-ENTRY UBE2D4 (Cat# [RC202473], Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-UBE2D4 (Cat# TA810786)(1:2000). Positive lysates [LY414273] (100ug) and [LC414273] (20ug) can be purchased separately from OriGene.



Immunohistochemical staining of paraffinembedded Human adult heart tissue within the normal limits using anti-UBE2D4 mouse monoclonal antibody. (Heat-induced epitope retrieval by 1mM EDTA in 10mM Tris buffer (pH8.5) at 120°C for 3min, TA810786) (1:150)





Immunohistochemical staining of paraffinembedded Human embryonic cerebellum within the normal limits using anti-UBE2D4 mouse monoclonal antibody. (Heat-induced epitope retrieval by 1mM EDTA in 10mM Tris buffer (pH8.5) at 120°C for 3min, TA810786) (1:150)