

Product datasheet for TA810909

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

DNAJB5 Mouse Monoclonal Antibody [Clone ID: OTI6F11]

Product data:

Product Type: Primary Antibodies

Clone Name: OTI6F11
Applications: IHC, WB

Recommended Dilution: WB 1:500~2000, IHC 1:500

Reactivity: Human, Mouse, Rat

Host: Mouse Isotype: IgG2b

Clonality: Monoclonal

Immunogen: Human recombinant protein fragment corresponding to amino acids 1-261 of human

DNAJB5 (NP_036398) produced in E.coli.

Formulation: PBS (pH 7.3) containing 1% BSA, 50% glycerol and 0.02% sodium azide.

Concentration: 1 mg/ml

Purification: Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography

(protein A/G)

Conjugation: Unconjugated

Storage: Store at -20°C as received.

Stability: Stable for 12 months from date of receipt.

Predicted Protein Size: 39 kDa

Gene Name: DnaJ heat shock protein family (Hsp40) member B5

Database Link: NP 036398

Entrez Gene 25822 Human

<u>075953</u>

Background: DNAJB5 belongs to the evolutionarily conserved DNAJ/HSP40 protein family. For background


information on the DNAJ family, see MIM 608375. [supplied by OMIM, Mar 2008]

Synonyms: Hsc40






Product images:




HEK293T cells were transfected with the pCMV6-ENTRY control (Left lane) or pCMV6-ENTRY DNAJB5 ([RC222132], Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-DNAJB. Positive lysates [LY415870] (100ug) and [LC415870] (20ug) can be purchased separately from OriGene.



Western blot analysis of extracts (35ug) from 4 cell lines by using anti-DNAJB5 monoclonal antibody (1:500).





Immunohistochemical staining of paraffinembedded Human lymphoma tissue using anti-DNAJB5 mouse monoclonal antibody. (Heatinduced epitope retrieval by 1mM EDTA in 10mM Tris buffer (pH8.5) at 120°C for 3min, TA810909) (1:500)