

## Product datasheet for TA811180BM

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## AIF (AIFM1) Mouse Monoclonal Antibody (HRP conjugated) [Clone ID: OTI8B8]

**Product data:** 

**Product Type:** Primary Antibodies

Clone Name: OTI8B8

Applications: WB

Recommended Dilution: WB 1:500~2000

Reactivity: Human, Mouse, Rat

Host: Mouse Isotype: IgG1

Clonality: Monoclonal

**Immunogen:** Human recombinant protein fragment corresponding to amino acids 134-483 of human

AIFM1 (NP\_001124318) produced in E.coli.

**Formulation:** PBS (pH 7.3) containing 1% BSA, 50% glycerol.

**Concentration:** 0.5 mg/ml

**Purification:** Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography

(protein A/G)

Conjugation: HRP

**Storage:** Store at -20°C as received.

**Stability:** Stable for 12 months from date of receipt.

**Gene Name:** apoptosis inducing factor, mitochondria associated 1

Database Link: NP 001124318

Entrez Gene 26926 MouseEntrez Gene 83533 RatEntrez Gene 9131 Human

<u>095831</u>

Synonyms: AIF; CMT2D; CMTX4; COWCK; COXPD6; NADMR; NAMSD; PDCD8


**Protein Families:** Druggable Genome, Transmembrane

**Protein Pathways:** Apoptosis







## **Product images:**



HEK293T cells were transfected with the pCMV6-ENTRY control (Cat# [PS100001], Left lane) or pCMV6-ENTRY AIFM1 (Cat# [RC224064], Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-AIFM1 (Cat# [TA811180])(1:2000).



Western blot analysis of extracts (35ug) from 6 different cell lines and mouse liver tissue lysate by using anti-AIFM1 monoclonal antibody (1:500).



Equivalent amounts of cell lysates (10 ug per lane) of wild-type 293T cells (WT, Cat# LC810293T) and AIFM1-Knockout 293T cells (KO, Cat# [LC811853]) were separated by SDS-PAGE and immunoblotted with anti-AIFM1 monoclonal antibody [TA811180], (1:500). Then the blotted membrane was stripped and reprobed with antib-actin antibody ([TA811000]) as a loading control.