

Product datasheet for TA811231M

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

RNF4 Mouse Monoclonal Antibody [Clone ID: OTI1F6]

Product data:

Product Type: Primary Antibodies

Clone Name: OTI1F6

Applications: WB

Recommended Dilution: WB 1:500~2000

Reactivity: Human, Mouse, Rat

Host: Mouse Isotype: IgG1

Clonality: Monoclonal

Immunogen: Human recombinant protein fragment corresponding to amino acids 1-190 of human RNF4

(NP_002929) produced in E.coli.

Formulation: PBS (pH 7.3) containing 1% BSA, 50% glycerol and 0.02% sodium azide.

Concentration: 1 mg/ml

Purification: Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography

(protein A/G)

Conjugation: Unconjugated

Storage: Store at -20°C as received.

Stability: Stable for 12 months from date of receipt.

Gene Name: ring finger protein 4

Database Link: NP 001171938

Entrez Gene 19822 MouseEntrez Gene 29274 RatEntrez Gene 6047 Human

P78317

Background: The protein encoded by this gene contains a RING finger motif and acts as a transcription

 $regulator. \ This \ protein \ has \ been \ shown \ to \ interact \ with, \ and \ inhibit \ the \ activity \ of, \ TRPS1, \ a$

 $transcription\ suppressor\ of\ GATA-mediated\ transcription.\ Transcription\ repressor$

ZNF278/PATZ is found to interact with this protein, and thus reduce the enhancement of androgen receptor-dependent transcription mediated by this protein. Studies of the mouse and rat counterparts suggested a role of this protein in spermatogenesis. A pseudogene of

this gene is found on chromosome 1. [provided by RefSeq, Jul 2010]







Synonyms: RES4-26; SLX5; SNURF

Protein Families: Transcription Factors

Product images:



HEK293T cells were transfected with the pCMV6-ENTRY control (Cat# [PS100001], Left lane) or pCMV6-ENTRY RNF4 (Cat# [RC207273], Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-RNF4 (Cat# [TA811231])(1:2000). Positive lysates [LY432659] (100ug) and [LC432659] (20ug) can be purchased separately from OriGene.



Western blot analysis of extracts (35ug) from 5 different cell lines by using anti-RNF4 monoclonal antibody (1:500).