

Product datasheet for TA811435AM

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Trefoil Factor 3 (TFF3) Mouse Monoclonal Antibody (Biotin conjugated) [Clone ID: OTI3G5]

Product data:

Product Type: Primary Antibodies

Clone Name: OTI3G5

Applications: WB

Recommended Dilution: WB 1:500

Reactivity: Human Host: Mouse

Isotype: IgG1
Clonality: Monoclonal

Immunogen: Human recombinant protein fragment corresponding to amino acids 72-130 of human TFF3

(NP_003217) produced in E.coli.

Formulation: PBS (pH 7.3) containing 1% BSA, 50% glycerol and 0.02% sodium azide.

Concentration: 0.5 mg/ml

Purification: Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography

(protein A/G)

Conjugation: Biotin

Storage: Store at -20°C as received.

Stability: Stable for 12 months from date of receipt.

Predicted Protein Size: 14.25 kDa

Gene Name: trefoil factor 3

Database Link: NP 003217

Entrez Gene 7033 Human

007654





Trefoil Factor 3 (TFF3) Mouse Monoclonal Antibody (Biotin conjugated) [Clone ID: OTI3G5] – TA811435AM


Background:

Members of the trefoil family are characterized by having at least one copy of the trefoil motif, a 40-amino acid domain that contains three conserved disulfides. They are stable secretory proteins expressed in gastrointestinal mucosa. Their functions are not defined, but they may protect the mucosa from insults, stabilize the mucus layer and affect healing of the epithelium. This gene is expressed in goblet cells of the intestines and colon. This gene and two other related trefoil family member genes are found in a cluster on chromosome 21. [provided by RefSeq, Jul 2008]

Synonyms: ITF; P1B; TFI

Protein Families: Secreted Protein

Product images:



HEK293T cells were transfected with the pCMV6-ENTRY control (Left lane) or pCMV6-ENTRY TFF3 ([RC223558], Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-TFF3. Positive lysates [LY418823] (100ug) and [LC418823] (20ug) can be purchased separately from OriGene.