

Product datasheet for TA811579

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436

OriGene Technologies, Inc.

Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

ZFP57 Mouse Monoclonal Antibody [Clone ID: OTI1E2]

Product data:

Product Type: Primary Antibodies

Clone Name: OTI1E2
Applications: IHC, WB

Recommended Dilution: WB 1:500~2000, IHC 1:2000

Reactivity: Human, Mouse

Host: Mouse Isotype: IgG1

Clonality: Monoclonal

Immunogen: Full length human recombinant protein of human ZFP57 (NP_001103279) produced in E.coli.

Formulation: PBS (pH 7.3) containing 1% BSA, 50% glycerol and 0.02% sodium azide.

Concentration: 1 mg/ml

Purification: Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography

(protein A/G)

Conjugation: Unconjugated

Storage: Store at -20°C as received.

Stability: Stable for 12 months from date of receipt.

Gene Name: ZFP57 zinc finger protein

Database Link: NP 001103279

Entrez Gene 22715 MouseEntrez Gene 346171 Human

Q9NU63

Background: The protein encoded by this gene is a zinc finger protein containing a KRAB domain. Studies

in mouse suggest that this protein may function as a transcriptional repressor. Mutations in this gene have been associated with transient neonatal diabetes mellitus type 1 (TNDM1).

[provided by RefSeq, Sep 2009]


Synonyms: bA145L22; bA145L22.2; C6orf40; TNDM1; ZNF698

Protein Families: ES Cell Differentiation/IPS






Product images:



HEK293T cells were transfected with the pCMV6-ENTRY control (Cat# [PS100001], Left lane) or pCMV6-ENTRY ZFP57 (Cat# [RC229273], Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-ZFP57 (Cat# TA811579)(1:2000). Positive lysates [LY432292] (100ug) and [LC432292] (20ug) can be purchased separately from OriGene.



Immunohistochemical staining of paraffinembedded Human testicle tissue within the normal limits using anti-ZFP57 mouse monoclonal antibody. Heat-induced epitope retrieval by EDTA solution buffer pH 8.0 at 120°C for 3 min.