

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Product datasheet for TA811623S

IL20 Receptor alpha (IL20RA) Mouse Monoclonal Antibody [Clone ID: OTI7H7]

Product data:

Clone Name:OTI7H7Applications:WBRecommended Dilution:WB 1:2000Reactivity:HumanHost:MouseIsotype:IgG1	
Recommended Dilution:WB 1:2000Reactivity:HumanHost:MouseIsotype:IgG1	
Reactivity:HumanHost:MouseIsotype:IgG1	
Host: Mouse Isotype: IgG1	
lsotype: lgG1	
Clonality: Monoclona	I
-	ombinant protein fragment corresponding to amino acids 272-553 of human _055247) produced in E.coli.
Formulation: PBS (pH 7.3	3) containing 1% BSA, 50% glycerol and 0.02% sodium azide.
Concentration: 1 mg/ml	
Purification:Purified fro(protein A/C)	m mouse ascites fluids or tissue culture supernatant by affinity chromatography G)
Conjugation: Unconjugat	ted
Storage: Store at -20)°C as received.
Stability: Stable for 1	2 months from date of receipt.
Gene Name: interleukin	20 receptor subunit alpha
Database Link:NP 055247Entrez Generation29UHF4	e 53832 Human
subunit of t function. Th protein and highly expr multiple tra	Incodes a member of the type II cytokine receptor family. The encoded protein is a the receptor for interleukin 20, a cytokine that may be involved in epidermal the interleukin 20 receptor is a heterodimeric complex consisting of the encoded d interleukin 20 receptor beta. This gene and interleukin 20 receptor beta are essed in skin, and are upregulated in psoriasis. Alternative splicing results in anscript variants. [provided by RefSeq, Jul 2013] 20R-alpha; IL-20R1; IL-20RA



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2023 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

	IL20 Receptor alpha (IL20RA) Mouse Monoclonal Antibody [Clone ID: OTI7H7] – TA811623S
Protein Families:	Druggable Genome, Transmembrane

Protein Pathways: Cytokine-cytokine receptor interaction, Jak-STAT signaling pathway

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2023 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US