

Product datasheet for TA811809

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Mps1 (TTK) Mouse Monoclonal Antibody [Clone ID: OTI1D4]

Product data:

Product Type: Primary Antibodies

Clone Name: OTI1D4

Applications: WB

Recommended Dilution: WB 1:500

Reactivity: Human
Host: Mouse
Isotype: IgG2a

Clonality: Monoclonal

Immunogen: Human recombinant protein fragment corresponding to amino acids 189-464 of human TTK

(NP_003309) produced in E.coli.

Formulation: PBS (pH 7.3) containing 1% BSA, 50% glycerol and 0.02% sodium azide.

Concentration: 1 mg/ml

Purification: Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography

(protein A/G)

Conjugation: Unconjugated

Storage: Store at -20°C as received.

Stability: Stable for 12 months from date of receipt.

Predicted Protein Size: 96.9 kDa

Gene Name: TTK protein kinase

Database Link: NP 003309

Entrez Gene 7272 Human

P33981

Mps1 (TTK) Mouse Monoclonal Antibody [Clone ID: OTI1D4] - TA811809

Background: This gene encodes a dual specificity protein kinase with the ability to phosphorylate tyrosine,

serine and threonine. Associated with cell proliferation, this protein is essential for

chromosome alignment at the centromere during mitosis and is required for centrosome duplication. It has been found to be a critical mitotic checkpoint protein for accurate

segregation of chromosomes during mitosis. Tumorigenesis may occur when this protein fails

to degrade and produces excess centrosomes resulting in aberrant mitotic spindles.

Alternative splicing results in multiple transcript variants. [provided by RefSeq, Nov 2009]


Synonyms: CT96; ESK; MPH1; MPS1; MPS1L1; PYT

Protein Families: Druggable Genome, Protein Kinase

Protein Pathways: Cell cycle, Oocyte meiosis, TGF-beta signaling pathway, Ubiquitin mediated proteolysis, Wnt

signaling pathway

Product images:



Western blot analysis of extracts (35ug) from 3 different cell lines by using anti-TTK monoclonal antibody (1:500).